

April 2022 - Purchase Orders

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
1	93225142100201 dt.01-APR-22 on M/s.FLU TEF INDUSTRIES- AHMEDABAD	8732	1.5 SQMM WHITE COLOUR ELECTRON BEAM IRRADIATION CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH CU. CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SPEC .NO: ELRS/SPEC/E	1	SE/ELE/KCVL	200 MTR	02-05-2022	IREPS
2	93225142100202 dt.01-APR-22 on M/s.THERMO CABLES LIMITED- HYDERABAD	37760	1.5 SQMM WHITE COLOUR ELECTRON BEAM IRRADIATION CURING PROCESS THIN WALLED FLEXIBLE ELASTOMERIC CABLE WITH CU. CONDUCTOR SUITABLE FOR ROLLING STOCK APPLICATION CONFORMING TO RDSO SPEC .NO: ELRS/SPEC/E	1	SE/ELE/KCVL	800 MTR	02-05-2022	IREPS
3	93225197100203 dt.01-APR-22 on M/s.KALTRO ENTERPRISES- AMBERNATH	159300	Contactora with surge suppressor for LHB AC Coaches, Current rating 200 Amps, AC 3, voltage rating 440VAC, 50/60 HZ, Main pole 4 Nos, Aux. contact 1 NO + 1 NC, Control voltage 168-300V AC, Plate & Rail	1	EF/ NCJ	15 Nos.	02-05-2022	IREPS
4	93225087100204 dt.01-APR-22 on M/s.ZENIX COMPUTERS- KOLKATA	39076.88	Desktop computer with spec. Intel i3 9th gen. Or better processor,intel chipset or better,4GB DDR4 ram or better,1 TB or better hard disk,21.5 LCD/LED monitor, on board or integrated lan,sound,WiFi,BT	1	SSE/E/KTYM	1 Nos.	02-05-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
5	93225153100205 dt.01-APR-22 on M/s.LAKSHMI TRADINGS AND MOVERS- ARIYALUR	18290	INFRA RED LAMP: 1. It should have automatic timer facility. 2. It should have high low variable intensity facility. 3. It should have facility for adjustment of height, angle and direction of lamp foc	1	SR.DMO/G/TVC	1 Nos.	02-05-2022	IREPS
6	93225143200206 dt.01-APR-22 on M/s.JINTECH SOLUTION LIMITED- AHMEDABAD	284970	DESK TOP COMPUTER DETAILED SPECIFICATION ATTACHED AS ANNEXURE 1 MAKE:- DELL,HP,ASUS,SAMSUNG,IBM,TOSHIBA.	1	SR DME TVC	5 Nos.	30-04-2022	GeM
7	93225213100207 dt.01-APR-22 on M/s.ADDSOFT TECHNOLOGIES PRIVATE LIMITED- CUTTACK	129800	CMS KIOSK for crew lobby as per CRIS specification consisting of the following items. 1.CMS KIOSK enclosure 2.17" touch screen monitor 3.Thin client dual core,1.86 Ghz/4GB DDR3 memory/SATA Flash 16 GB	1	CCRC/QLN	1 Nos.	01-05-2022	IREPS
8	93225186200208 dt.04-APR-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	29600	Unbranded Executive Table of Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest 1830 millimeter 950 millimeter 750 millimeter NA (EXECUTIVE TABLETable top Mat	1	DRM/C/TVC	1 Nos.	04-05-2022	GeM
9	93225177200209 dt.04-APR-22 on M/s.ARADHYA ENTERPRISES- SONBHADRA	1680000	70SQMM SINGLE CORE ALUMINIUM CABLE UNARMoured, PVC INSULATED, ISI MARKED CONFORMING TO IS1554.TESTCERTIFICATE FROM NABL/ILAC/CENTRALGOVT ACCREDITED LAB SHOULD BE PREFERABLY UPLOADED ATTHE TIME OF TEND	1	SSE/EW/TVC	8000 MTR	19-04-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
10	93225202200210 dt.05-APR-22 on M/s.ARHAM ENTERPRISES, MUMBAI	91000	LAPTOP as per Specification:-INTEL core i3, 32bit 8 th generation or more. 2.1GHz speed, 4MB cache, 1TB HDD- 4 GB DDR 4 RAM- 14 Inch LED HD Monitor, windows 10 professional factory preload operating	1	SE/TRS/TVC	2 Nos.	03-07-2022	GeM
11	93225189200211 dt.05-APR-22 on M/s.KALA ILANGO VAN, ERODE	30240	18W LED down lighter suitable to work in rated voltage 240v,50HZ .round shape with electronic control gear,Color temperature (+/500 K)6000 deg K ,conforming to Indian Standard IS:10322/part 5/sec-2	1	SSE/E/KTYM	50 Nos.	20-04-2022	GeM
12	93225199200212 dt.05-APR-22 on M/s.N.K. ENTERPRISES - CHANDIGARH, CHANDIGARH	23998	FUMIGATOR: 1. It should be operated electrically2. It should be automatic and portable type.3. It should be made of stainless steel.4. It should have warranty period of minimum one year.5. It should c	1	SR.DMO/G/TVC	2 Nos.	20-04-2022	GeM
13	93225184200213 dt.05-APR-22 on M/s.MACHINERY MARKETING ASSOCIATES PRIVATE LIMITED,	83996	Cordless Impact Wrench, Battery Voltage: 18V, Battery capacity:4Ah, No load speed: 2500 rpm,torque output 120 Ft-lb, Drive 1/2 inch Tightening Torque: 650 Nm,Soft grip for secure and ergonomic work LE	1	SSE/OHE/KZK	4 Nos.	19-04-2022	GeM
14	93225156100214 dt.07-APR-22 on M/s.NATIONAL INSTRUMENT INDUSTRIES- AMBALA	197768	Metering transformer, capacity-300 VA, 750V/415V, 3 phase/110V AC, 3 phase suitable for LHB type EOG power cars. Type RG-36/82/7- TP, Make- BHASIN PACKARD/ VIMAL/ PANTRONICS/ HACEL/ RAMAYA ELECTRO GEAR	1	EF/ NCJ	20 Nos.	08-05-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
15	93225181100215 dt.08-APR-22 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA	545160	42 kV,10kA, 1-PH Metal Oxide Gapless station class type III Lightning Arrester conforming to RDSO specification No.TI/PSC/PSI/MOGTLA/0101 (02/2015)or latest with insulating base, Surge Monitor and 1	1	SSE/PSI/KZK	12 Nos.	09-05-2022	IREPS
16	93225223100216 dt.08-APR-22 on M/s.SB DRIVE POWER LIMITED- MUMBAI	584954.3	Portable Inflatable Emergency Lighting System closed system (LxBxH): 585x450x520 mm, Tower: Height & Weight : 4.5 mts &45 Kgs, engine: 4 stroke, Generator Model: petrol 1200 VA, Generator fuel tank c	1	SSE/PW(STM)/QLN	4 Nos.	08-06-2022	IREPS
17	93225229100217 dt.08-APR-22 on M/s.V V ENTERPRISES- KOLKATA	10296.68	Silica gel orange, spherical beads without cobalt of size 3mm to 5mm as per IS:3401- 1992 specification. The material shall be packed in clean, dry and sealed polythene bags of 2.2 kg pack. Make Bran	1	SSE/MEMU SHED/QLN	40 Kgs.	10-05-2022	IREPS
18	93225124100218 dt.08-APR-22 on M/s.SAROJ ENTERPRISES- CHENNAI	79800	LED FLOOD LIGHT FIXTURE , 80 WATTS, COMPLETE WITH DRIVER ASSEMBLY WITH DIE CAST ALUMINIUM HOUSING , TOUGHENED FRONT GLASS COVER, IP 66 PROTECTION, COLOUR TEMPERATURE 5500 - 6500 Deg KELVIN, EFFICACY	1	SSE/E/ALLP	25 Nos.	11-05-2022	IREPS
19	93225193100219 dt.08-APR-22 on M/s.RAJENDRA ELECTRICALS- KOLKATA	88500	PVC Copper Cable 4 Core 4 Sq. mm, voltage grade : upto 1100 Volt, Flame retardant insulation , Nominal cross sectional area of conductor :4 sq mm, No. of core:4, Annealed Tinned Copper Conductor comp	1	SSE/C AND W/TVC	500 MTR	12-05-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
20	93225169100220 dt.08-APR-22 on M/s.INDO COMPRESSED TOOLS PRIVATE LIMITED-	156007.8	Set of spares consisting of items as per Annexure enclosed for Electric Air compressor , Make - Atlas Copco, Model no -GA 55, Model no -GA 22 Make/Brand:-INCOM	1	SSE/C AND W/TVC	1 Set	13-05-2022	IREPS
21	93225214100221 dt.08-APR-22 on M/s.GENERAL SUPPLY SYNDICATE- KOLKATA	140544.6	NYLON RAIN SUIT: SHIRT WITH CAP AND PANT NYLON AS PER IDENTIFICATION OF TEXTILE FIBRE TO IS 667/1981 RA 2008. THICKNESS OF FABRIC WITH GAUGE IS 0.17MM TO 0.20MM MASS OF BASIC FABRIC IS 50 TO 60 GSM, M	1	SSE/OHE/KYJ	307 Nos.	08-05-2022	IREPS
22	93225158100222 dt.09-APR-22 on M/s.ELECTROSTA R SIGNALLING AND POWER EQUIPMENTS	517017	Supply of 24 V DC/110 V AC,500 VA PWM type On line inverter as per RDSO Spec: No. IRS-S- 82/92(Amnd.2) or latest. Make / Brand: ESTAR	1	SSE/S/SRM/TVC	15 Nos.	09-07-2022	IREPS
23	93225216200223 dt.11-APR-22 on M/s.VJ INTERIOR PRIVATE LIMITED, DELHI	22300	Office Chair high backrest,revolving and height adjustable, 5 wheel pedestal base PU foam covered with Fabric seat material, with air grid mesh comfort. Make like Godrej,Nilkamal or Supreme.	1	CCRC/ERS	5 Nos.	08-05-2022	GeM
24	93225190200224 dt.11-APR-22 on M/s.DESIGN FURNITURE, AHMEDABAD	78660	Office chair with cushion without castors, made of polythene cane. Chair height 950 mm, Seat width 550 mm, Depth 450 mm, height 450 mm and chair type with arms, material of fabric back cover - leath	1	SR.DOM/TVC	19 Nos.	08-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
25	93225204200225 dt.12-APR-22 on M/s.SHIV ENTERPRISES, Gwalior	177600	PVC insulated Unarmoured Flexible annealed tinned copper cable of size 4core 6 Sqmm having voltage rating up to 1100v&confirming to IS: 694:2010 or latest. Material to ISI marked as per IS: 694:2010.	1	EF/ NCJ	800 MTR	26-04-2022	GeM
26	93225217100226 dt.12-APR-22 on M/s.ALPHA ENTERPRISE- HYDERABAD	300542.5	Instruction Plate for Mobile Phone Socket having size of 152 x 50 x 0.5mm made up of Stainless Steel as per the drawing (with notes) enclosed herewith. The quality of the stainless steel has to be	1	SSE/AC/TVC	7300 Nos.	15-05-2022	IREPS
27	93225163100227 dt.12-APR-22 on M/s.AVADH RAIL INFRA LIMITED- LUCKNOW	77950.8	660mm LENGTH AIR BRAKE HOSE COUPLING FOR FEED PIPE DRG NO. WD-81027-S 01, ALT.14 SPECIFICATION NO. APPENDIX F OF SPEC.02-ABR.02, AMENDT.NO.4 OF SEP.2016. SPECIAL CONDITION :ENSURE THAT THE PLASTIC DUM	1	CWS ERM	60 Nos.	16-05-2022	IREPS
28	93225219100228 dt.12-APR-22 on M/s.ESCORTS LIMITED- FARIDABAD	70210	Emergency Brake Valve with Reducer for Escort Make Disc Brake system of LHB Coaches Escort Drg No - 2KB 3683/A Make/Brand:-ESCORTS	1	SR.SE/C&W/KCVL	10 Nos.	17-05-2022	IREPS
29	93225200200229 dt.13-APR-22 on M/s.SATISH KUMAR GUPTA- FIROZPUR CANTT	120000	MECHANICAL QUARTZ CLOCK TIMER SWITCH CYCLE DURATION OF 24 HOURS 96 ON AND 96 OFF NUMBERS OF SWITCHING MINIMUM INTERVAL DURATION 15 MINUTES AND DIN RAIL MOUNTING SUPPORT WITH MANUAL TIME CHANGE OVER F	1	SSE/E/P/TVC	100 Nos.	27-04-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
30	93225212100230 dt.13-APR-22 on M/s.MACHINE TOOLS AND EQUIPMENTS- MUMBAI	292050	Supply and commissioning of Fabricated C frame type structure type Hydraulic Press of capacity 40 - 50 ton Suitable for pressing bushes in control arm, anti-roll bar link , minor pads in secondary	1	SR.SE/C&W/KCVL	1 Nos.	13-07-2022	IREPS
31	93225140100231 dt.13-APR-22 on M/s.SAMARTH SUPPLIERS- RATLAM	574765	Hard wood wooden planks of Malaysian sal (Thambakam)/Oil Sal Wood recessed at the ends and bonded with 30x.5mm MS strips with detailed list of sizes & quantities enclosed to IS:401 (2001)	1	CWS ERM	311.02 CUFT	13-07-2022	IREPS
32	93225218100232 dt.18-APR-22 on M/s.RUDRAKSHI ENTERPRISES- RAIPUR	575986.3	Printer Canon MF3010B Multifunction A4 Mono Lasers : 3 in 1 PSC: 18 ppm on A4, FPOT of 7.8s, 8000 pages DC, 64 MB, 600x600 dpi, upto 1200x600dpi print resolution. 150 sheets input and 100 sheets outpu	1	SSE/PW(STM)/QLN	36 Nos.	18-06-2022	IREPS
33	93225210200233 dt.19-APR-22 on M/s.ZAID ENTERPRISES, UNNAO	179912	Personal safety and protection foot ware. BIS Specification No. IS:15298 or latest. Size No. 5-24 pair,6- 31 pair,7-55 pair,8-103 pair,9-74 pair,10-48 pair,11-8 pair,12-1 pair similar to product id:	1	SSE/S/SRM/TVC	344 Pairs	03-05-2022	GeM
			5MM Round copper dropper wire as per per IS:282-1982 .Material to be supplied in wooden drums in 200Kg per drum.Inspection :RITES. Make / Brand: VMV	1	SE/OHE/ERS	200 Kgs.	19-06-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
34	93225250100234 dt.19-APR-22 on M/s.VMV INDUSTRIES- GHAZIABAD	626580	5MM Round copper dropper wire as per per IS:282-1982 .Material to be supplied in wooden drums in 100Kg per drum.Inspection :RITES. Make / Brand: VMV	2	SSE/OHE/KZK	100 Kgs.	19-06-2022	
			5MM Round copper dropper wire as per per IS:282-1982 .Material to be supplied in wooden drums in 200Kg(1 No) per drum.Inspection :RITES. Make / Brand: VMV	3	SSE/OHE/KYJ	200 Kgs.	19-06-2022	
35	93225237100235 dt.20-APR-22 on M/s.VMV INDUSTRIES- GHAZIABAD	1301216	Large span wire 130 SQMM(37/2.10 mm) Stranded Cadmium Copper Conductor conforming to RDSO Specification No:TI/SPC/OHE/CAT(cu-cd)/0971 or latest.Material to be supplied in wooden drum in length of 100	1	SSE/OHE/KYJ	1.17 MT	20-06-2022	IREPS
36	93225220100236 dt.20-APR-22 on M/s.ESCORTS LIMITED- FARIDABAD	1574592	Speed Sensor with cable (with connector New Type) to Escorts Drg No 1J112000023 Make / Brand: ESCORTS	1	SR.SE/C&W/KCVL	16 Nos.	20-06-2022	IREPS
37	93225225200237 dt.20-APR-22 on M/s.DESIGN FURNITURE, AHMEDABAD	94500	Three seated SS chair public place seating of SS 304 with arm and back rest without cushion.Chair length should be minimum of 1700mm, height 800 mm and seat height from floor 450mm	1	ADMO / ERS	10 Nos.	18-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
38	93225234200238 dt.20-APR-22 on M/s.APPASAMY ASSOCIATES PRIVATE LIMITED- CHENNAI	280000	A SCAN MACHINE :-TECHNICAL SPECIFICATION1) It should have CE/USFDA/BIS certification and copy of the certificate should be attached while tendering.2) It should be able to determine eye length for cal	1	SR.DMO/G/TVC	1 Nos.	03-05-2022	GeM
39	93225228100239 dt.25-APR-22 on M/s.SHANSEN ENNTERPRISES- COIMBATORE	167725.2	3CORE FLEXIBLE ROUND COPPER CABLE EACH 1.5SQMM SIZE,PVC INSULATED, MULTI STRAND COPPER CONDUCTOR, UNARMOURD, CONFORMING TO IS 694 - 2010 LATEST, WITH ISI MARK. MAKE: HAVELLS, FINOLEX, POLYCAB, V- GUARD	1	SSE/E/P/TVC	3000 MTR	26-05-2022	IREPS
40	93225201200240 dt.25-APR-22 on M/s.DEEPA AGENCIES,, KOCHI	109000	Power Contactors 3 Pole 32 Amps of Rated Voltage 240/415 Volt 50HZ AC Supply. With coil voltage240V 50 HZ AC.MAKE: L&t. SIEMENS, HAVELLS, C&S only.	1	SSE/E/P/TVC	50 Nos.	10-05-2022	GeM
41	93225227200241 dt.25-APR-22 on M/s.GODREJ AND BOYCE MANUFACTURIN G COMPANY	1198000	Diesel Engine Operated Automatic Forklift Of Capacity 3 Tone,3-Stage MFH 4500 mm ATT Single Drive ,Solid Tyres ,2-Speed With Hydraulic Braking system Model :GODREJ GX 300 D or similar model of TOYOTA,	1	SR.SE/C&W/KCVL	1 Nos.	19-05-2022	GeM
42	93225145200242 dt.25-APR-22 on M/s.KALTRO ENTERPRISES, THANE	215232	Energy efficient BEE 5 star rated BLDC A/c ceiling fan 1200 mm sweep with 3 leaf, suitable to operate on single phase 140v to250v range, frequency range 48 to 52Hz with a speed of 350RPM with regula	1	SSE/E/ERS	80 Nos.	10-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
43	93225180100243 dt.27-APR-22 on M/s.DOSTI STATIONERY STORES-MUMBAI	9943.86	Kyocera OEM cartridge TK 8110 M used for model ECOSYS M 8124 cidn Make Brand- KYOCERA	1	RRB/TVC	1 Nos.	27-05-2022	IREPS
			Kyocera OEM cartridge TK 8110 Y used for model ECOSYS M 8124 cidn Make Brand- KYOCERA	2	RRB/TVC	1 Nos.	27-05-2022	
			Kyocera OEM cartridge TK 8110 C used for model ECOSYS M 8124 cidn Make Brand- KYOCERA	3	RRB/TVC	1 Nos.	27-05-2022	
44	93225149100244 dt.27-APR-22 on M/s.HARE RAMA KRISHNA ENTERPRISES- BENGALURU	300000	Energy efficient BEE-5star rated BLDC ceilig fan 1400mm sweep with 3 aluminium blades suitable to operate in 230V 50Hz AC supply with 2canopies and downrod similar to Havells-1400mm Efficiencia neo W	1	SSE/E/QLN	100 Nos.	28-05-2022	IREPS
45	93225171100245 dt.27-APR-22 on M/s.CITY ELECTRICAL CONTRACTORS- THIRUVALLUR	254880	70SQMM SINGLE CORE ALUMINIUM CABLE UNARMoured, PVC INSULATED, ISI MARKED CONFORMING TO IS1554.TEST CERTIFICATE FROM NABL/ILAC /CENTRALGOVT ACCREDITED LAB SHOULD BE PREFERABLY UPLOADED AT THE TIME OF T	1	SSE/EW/TVC	1600 MTR	28-05-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
46	93225173100246 dt.27-APR-22 on M/s.SHANSEN ENNTERPRISES- COIMBATORE	274704	4core 35sq.mm LTUG cable with aluminium EC grade conductor, XLPE insulated, PVC outer sheathed, galvanized steel strip armoured, suitable for working voltage grade 1100V, ISI marked confirming to IS70	1	SSE/EW/TVC	1000 MTR	28-05-2022	IREPS
47	93225207100247 dt.27-APR-22 on M/s.FOUNTAIN STATIONERS- MUMBAI	47436.35	Pantum OEM Toner for M6550N printer. Original tonner only acceptable. Brand- Pantum only. Make/Brand:PANTUM ORIGINAL	1	DRM/E TVC	30 Nos.	28-05-2022	IREPS
48	93225238100248 dt.27-APR-22 on M/s.JN MACHINERIES PRIVATE LIMITED- MADURAI	136566.3	MDL (Modulor) OVM (Over Voltage Module) 3 PH suitable for Cummins make Stamford Alternator of 500KVA LHB power car. Cummins Part No.A057E698 make : Cummins Make/Brand:CUMMINS, MDL OVM 3PH	1	EF/ NCJ	1 Nos.	28-05-2022	IREPS
49	93225179100249 dt.27-APR-22 on M/s.CHHATTISGA RH COMPUTERS- KORBA	30278.8	All in One wireless Ink tank Jet Printer (Print, Scan and Copy) with the following specifications, 1) Paper size-A4, 2) Ink Tank type with 4 tanks, 3) Wi-Fi direct, 4) USB port connectable, 5) Scanner	1	EF/ NCJ	2 Nos.	28-05-2022	IREPS
50	93225114100250 dt.27-APR-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	4900.01	OFFICE TABLE Table should have minimum dimension Length 1205 mm, Top width 600mm and table height 735 mm. Should have storage on one side witht riple storage Storage unit and Drawer unit material 0	1	CMS/TVC	1 Nos.	28-05-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
51	93225235200251 dt.27-APR-22 on M/s.SHREE SHYAM ENTERPRISES, UDAIPUR	85780	Intel Core i3 10100 8 GB/1000 processor Generation -10, SSD 256 GB OR 1TB HDD windows 10 professional with availability of Wi Fi / Blue tooth connectivity with CPU, key board, Mouse, Ram size (GB): 8	1	AMM/DP/TVC	2 Nos.	27-05-2022	GeM
52	93225206200252 dt.28-APR-22 on M/s.BENTEX CONTROL AND SWITCHGEAR COMPANY-NEW	39648	Super Energy Efficient BEE 5 Star rated, BLDC Ceiling Fan 1200mm Sweep with 3 Aluminium Blades suitable to operate in 230V 50HZ Single Phase AC Supply. With 2 canopies and 300mm down rod with the foll	1	SSE/E/P/TVC	16 Nos.	10-05-2022	GeM
53	93225206200253 dt.28-APR-22 on M/s.KALTRO ENTERPRISES, THANE	116466	Super Energy Efficient BEE 5 Star rated, BLDC Ceiling Fan 1200mm Sweep with 3 Aluminium Blades suitable to operate in 230V 50HZ Single Phase AC Supply. With 2 canopies and 300mm down rod with the foll	1	SSE/E/P/TVC	47 Nos.	10-05-2022	GeM
54	93225236200254 dt.28-APR-22 on M/s.SCIENCE ENTERPRISES, Delhi	30116	Specifications of Bacteriological incubator Type of Incubator : Bacteriological Incubator Capacity in liters : 201-300 Material of Outer Chamber : CRCA (powder coated point) Steel Ambient Tempera	1	ADMO QLN	1 Nos.	12-05-2022	GeM
55	93225203200255 dt.28-APR-22 on M/s.DESIGN FURNITURE, AHMEDABAD	38500	Writing pad chair with the specifications attached in the documents.	1	RRB/TVC	10 Nos.	27-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
56	93225185100256 dt.28-APR-22 on M/s.HARE RAMA KRISHNA ENTERPRISES- BENGALURU	47200	Dell intel core i3-10105 - 8GB/1000GB HDD Windows 10 professional - Dell (Dell Vostro Desktop 3681), DDR4, (64 bit), Processor base frequency (GHz)3.7, Resolution (Pixels) 1920x1080, LED Back lit, Gr	1	SSE/PWAY/QLN	1 Nos.	29-05-2022	IREPS
57	93225172100257 dt.29-APR-22 on M/s.SHANSEN ENNTERPRISES- COIMBATORE	245440	4 CORE 70SQMM LTUG CABLE WITH ALUMINIUM EC GRADE CONDUCTOR, XLPE INSULATED ,PVC OUTER SHEATHED, GALVANIZED STEEL STRIP ARMoured, SUITABLE FOR VOLTAGE GRADE 1100V, CONFORMING TO IS 7098 PART-1 1988 WIT	1	SSE/EW/TVC	500 MTR	30-05-2022	IREPS
58	93225245100258 dt.29-APR-22 on M/s.INNOVUS ENERGIEZ- ERNAKULAM	140526.2	Heat Exchanger Assy. for ATLAS COPCO MAKE Air Drier (Type FX13 8102132563- Part No. 2202740282) Make/Brand:- ATLAS COPCO	1	SSE/C AND W/TVC	1 Nos.	30-05-2022	IREPS
59	93225249100259 dt.29-APR-22 on M/s.H.P.ENTERPR ISES-MUMBAI	24957	Set of rotary switches used in switch board cabinet (SBC) of LHB AC coaches. One set consist of 01 nos Ammeter selection rotary switch, 01 nos power supply on/ off switch, 01 nos Feeder selection rota	1	SSE/AC/TVC	25 Set	30-05-2022	IREPS
60	93225205100260 dt.29-APR-22 on M/s.CHHATTISGA RH COMPUTERS- KORBA	45819.4	Desktop computer with processor Intel i3 Series / Ryzen 3 Series (for AutoCAD/NMS purpose)- 64bit, mother board should be compatible with the processor, should have 2 Nos of DDR4 RAM slot , 1 No PCIe	1	SSE/E/ERS	1 Nos.	30-05-2022	IREPS