

## May 2022 - Purchase Orders

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
1	93225253200261 dt.03-MAY-22 on M/s.M/s.Zonotech Instruments, Ghaziabad	38900	MEDICAL LABORATORY CENTRIFUGE: 1. It should be bench top model.2. It should have swing out rotor configuration.3. It should have rotor capacity to hold 24 test tubes.4. It should have maximum speed 4	1	SR.DMO/G/TVC	1 Nos.	14-05-2022	GeM
2	93225251100262 dt.03-MAY-22 on M/s.VMV INDUSTRIES- GHAZIABAD	877920	Annealed Copper strnded jumber wire 160Sq mm (19/7/1.25mm).As per RDSO specification No:ETI/OHE/3(2/94) with A& C slip.1 or latest.Material to be supplied in wooden drums in 250 mtrs (1 no) per drum.	1	SE/OHE/ERS	250 MTR	03-07-2022	IREPS
			Annealed Copper strnded jumber wire 160Sq mm (19/7/1.25mm).As per RDSO specification No:ETI/OHE/3(2/94) with A& C slip.1 or latest.Material to be supplied in wooden drums in 250 mtrs (1 no) per drum.	2	SSE/OHE/KYJ	250 MTR	03-07-2022	
3	93225247200263 dt.03-MAY-22 on M/s.ACCESS TEXTILES.,, MUMBAI - 59.	143600	Fire fighting / proximity suit complete set - suit coat, trouser ,fireman helmet ,type b fireman gloves , fireman boots and antifiash hood.Technical specification attached.	1	SSE/C AND W/TVC	4 Nos.	14-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
4	93225248100264 dt.03-MAY-22 on M/s.SUGI ELECTRONICS LLP- BANGALORE	1156400	HRC fuse DIN type for LHB AC coaches, current rating 125 AMPS, voltage rating 1000 Volts, Breaking Capacity 80 KA, SIZE :- NH1L,Category GB, dimension similar to SIBA catalogue No.2028003.125, suitabl	1	SSE/AC/TVC	350 Nos.	02-08-2022	IREPS
5	93225264100265 dt.05-MAY-22 on M/s.TAMILNADU ENGINEERING ENTERPRISES- CHENNAI	128856	Health faucet lever type made of durable plastic with 1 meter long PVC hose and wall hook. Make D-Hygiene, Hindware, Waterman or equivalent Make/Brand:-ANY GOOD MAKE	1	SSE/C AND W/TVC	1400 Nos.	05-06-2022	IREPS
6	93225268100266 dt.05-MAY-22 on M/s.SHREE GOPAL ENTERPRISES- SECUNDERABAD	192340	Dust bin made of galvanized sheet of 0.8mm thickness as per Drg.No CDO/HYB/002 Make/Brand:- SELF	1	SR.SE/C&W/KCVL	500 Nos.	05-06-2022	IREPS
7	93225255100267 dt.05-MAY-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED-MUMBAI.	1194750	Universal plug in type tractive armature AC lamp proving Relay ( Metal to Carbon ) for 110 V AC LED lamp as per BRS: 941 A, 4F/4 B, QECX /ABDHK. STS / E Relay /AC LIT LED signal /09-2002 Amnd.1 or	1	SSE/S/SRM/TVC	250 Nos.	04-08-2022	IREPS
8	93225244200268 dt.05-MAY-22 on M/s.MANJULAM ENTERPRISES- JABALPUR	75732	Heavy Duty Nibbler Machine Make: - BOSCH or MAKITA or BLACK & DECKER Only,Technical Specifications attached,Minimum one year warranty	1	SSE/C AND W/TVC	2 Nos.	14-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
9	93225209200269 dt.05-MAY-22 on M/s.SHREE SHYAM ENTERPRISES, UDAIPUR	204450	Desktop Computer - Dell Intel Core i3 10100 8 GB/ 1000 GB HDD/ Windows 10 Pro (Dell, HP, Asus Make Only) (Detailed Specification enclosed in annexure) GeM Brochure enclosed	1	SSE/S/SRM/TVC	5 Nos.	29-05-2022	GeM
10	93225194100270 dt.05-MAY-22 on M/s.RATAN POWER TECH PVT LTD-KOTA	239215.5	Power contactor with surge suppressor for LHB power car current rating-630 amps, rated operational voltage 1 KV ac, 50HZ, 3 pole, control circuit voltage 415V AC, aux cont.4no+ 4nc, plate & rail mount	1	EF/ NCJ	3 Nos.	05-06-2022	IREPS
11	93225233100271 dt.05-MAY-22 on M/s.DOSTI STATIONERY STORES-MUMBAI	76700	EPSON OEM RIBBON CATRIDGE:LENGTH 80MTE EPSON(T13S015506)MAKE/BRAND EPSON ORIGINAL Make/brand:EPSON OEM Make/Brand: EPSON ORIGINAL	1	DRM/C/TVC	500 Nos.	05-06-2022	IREPS
12	93225262200272 dt.05-MAY-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	23950	Clerical office table with one side drawer(Three drawers on right side ) with locking system and foot rest. Table top length:1205MM Table top width:600MM table height:760MM Warranty :3 years	1	SR.DOM/TVC	5 Nos.	04-06-2022	GeM
13	93225272200273 dt.06-MAY-22 on M/s.CYBERKING TECHNOLOGIES PRIVATE LIMITED, ERNAKULAM	11770.2	HP 88A TONER CARTRIDGE SUITABLE FOR HP LASERJET M 202DW PRINTER, OEM ONLY REQUIRED	1	AMM/DP/TVC	3 Nos.	21-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
14	93225263200274 dt.06-MAY-22 on M/s.SUBHAM ENTERPRISES- PANCHKULLA	21000	Chain saw, petrol driven chain saw machine, displacement-80cc, Power output-6 HP, Weight-6.2Kg, Fuel tank Cap.-0.7L, Chain Speed – 40m/Sec, Guard bar length-20inch, Carbide tipped chain with 3/8"	1	SE/PWAY/ERS	2 Nos.	20-05-2022	GeM
15	93225246100275 dt.06-MAY-22 on M/s.FRANCIS KLEIN AND CO. PRIVATE LIMITED- KOLKATA	311992	Control Desk Compatible with MFD make Hydraulic Re-railing Equipment. Specification:- Control Block having four directional Control Valves, hand levers, Excess Pressure Valve for setting of Pressur	1	SSE/C AND W/TVC	1 Nos.	21-06-2022	IREPS
16	93225257100276 dt.09-MAY-22 on M/s.POWER ASSOCIATES- BANGALORE	498000	SPD - Class D Protection Device for 24 V AC/ DC for signal Equipment spark gap type with LED type indication and din rail mount . ( Make : OBO BETTER MAN ,DEHN or RAY CAPE or similar ). Specification	1	SSE/S/SRM/TVC	415 Nos.	09-07-2022	IREPS
17	93225256100277 dt.09-MAY-22 on M/s.POWER ASSOCIATES- BANGALORE	495000	SPD - Class D Protection Device for 110 V AC/ DC for signal Equipment spark gap type with LED type indication and din rail mount ( Make : OBO BETTER MAN ,DEHN or RAY CAPE or similar) Specification at	1	SSE/S/SRM/TVC	550 Nos.	09-07-2022	IREPS
18	93225277200278 dt.09-MAY-22 on M/s.DESIGN FURNITURE, AHMEDABAD	60300	Steel tubular chair, 16mm gauge MS Tubular Frame, wooden frame and wooden full arm rest, plastic caned seat and back rest, branded products or Godrej	1	SSE/PWAY/QLN	18 Nos.	05-06-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
19	93225276200279 dt.09-MAY-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	14790	Unbranded 1800mm 900mm 750mmHIGH END OFFICE TABLEDesign/Shape: Rectangular, Combination of main table with extended return unit and pedestal storage unit, free standing frame type, Gable end modesty	1	SSE/PWAY/QLN	1 Nos.	05-06-2022	GeM
20	93225271100280 dt.10-MAY-22 on M/s.RATAN POWER TECH PVT LTD-KOTA	1187670	POWER CONTACTOR WITH SURGE SUPPRESSOR FOR LHB POWER CAR. CURRENT RATING-630 AMPS, RATED OPERATIONAL VOLTAGE 1 KV AC, 50 HZ, 3 POLE, CONTROL CIRCUIT VOLTAGE 415 VAC, AUX CONT. 4 NO + 4NC, PLATE & RA	1	SR EF/TL TVC	15 Nos.	09-08-2022	IREPS
21	93225278100281 dt.10-MAY-22 on M/s.V K TRADERS- JHANSI	1099022	TOOL KIT BAG- length 14.5 inch , width 6.5 inch , height 14.5 inch material matte nylon 1680 black, red and orange colour canvas for lining, fiber used where as required for stiffness , rubber bolts a	1	SSE/PW(STM)/QLN	2003 Nos.	09-08-2022	IREPS
22	93225270100282 dt.10-MAY-22 on M/s.A S ENGINEERING WORKS-CHENNAI	41300	FRP Snack table for Janshatabdi chair car coaches as per Drg. No J &TD SR DRG NO SK 958 Make/Brand:-	1	SSE/C AND W/TVC	100 Nos.	10-06-2022	IREPS
23	93225282100283 dt.10-MAY-22 on M/s.MACHINE TOOLS AND EQUIPMENTS- MUMBAI	135700	Spare parts for 15Ton JAMALPUR LIFTING JACK Annexure attached MAKE/BRAND:- MACMEN MAKE - O. E. M.	1	SSE/C AND W/TVC	1 Set	10-06-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
24	93225280100284 dt.10-MAY-22 on M/s.MAHENDRA CHEMICAL WORKS- KOLKATA	34020	GRAPHITE POWDER GRADE-II 20% ASH CONTENT FOR USE AS FOUNDRY FACING MATERIAL TO SPECN. NO.IS.1305/ GRADE II/1967 OR LATEST MAKE/BRAND:-NATRAJ	1	CWS ERM	450 Kgs.	10-06-2022	IREPS
25	93225266200285 dt.12-MAY-22 on M/s.JJ ENTERPRISES, Tuticorin	51000	Desktop computer- Intel Core i3 10105 8 GB/ 1000 GB HDD/ Windows 10 Professional Motherboard Intel B Series , RAM 8 (GB) ,DDR4, 1000 GB HDD/ Windows 10 Professional LED Monitor 21.5 inch, with Wa	1	AEN NCJ	1 Set	09-06-2022	GeM
26	93225275200286 dt.12-MAY-22 on M/s.APPASAMY ASSOCIATES PRIVATE LIMITED, Chennai	168000	OPHTHALMIC REFRACTION CHAIR UNIT :- TECHNICAL SPECIFICATION1) It should have CE/USFDA/BIS certification.2) It should consist of motorized chair with foot control for doctor, side table and attachments	1	SR.DMO/G/TVC	1 Nos.	25-05-2022	GeM
27	93225297200287 dt.12-MAY-22 on M/s.CYBERKING TECHNOLOGIES PVT LTD,, KOCHI	9964.91	Canon Laser Mono Computer Printer for A4 paper size LBP6030b or similar with OEM warranty.	1	AMM/DP/TVC	1 Nos.	26-05-2022	GeM
28	93225265200288 dt.12-MAY-22 on M/s.SHRISTI INTERNATIONAL, PATNA	467250	NYLON RAIN SUIT SHIRT WITH CAP AND PANTS. NYLON AS PER IDENTIFICATION OF TEXTILE FIBRE TO IS 667/1981 RA2008. THICKNESS OF FABRIC WITH GAUGE IS 0.17MM TO 0.20MM MASS OF BASIC FABRIC IS 50 TO 60GSM. M	1	SR.DOM/TVC	750 Nos.	26-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
29	93225215100289 dt.17-MAY-22 on M/s.S M S RAJA AGENCIES-TRICHY	29970.82	Stainless Steel Drum & Stone roller type ,Floor mounted , Single Phase Wet Grinder 10 Ltr. capacity with I year Warranty to Motor and complete unit. Make: Laxmi, Philips or Prestige. Make Brand- LA	1	CCRC/ERS	1 Nos.	16-06-2022	IREPS
30	93225279100290 dt.17-MAY-22 on M/s.MOHINDRA ENTERPRISES- JALANDHAR	29464.6	BOLTS MS BLACK HEX HEAD ROUND BODY WITH HEX NUTS M16 X 100 TO IS 1363/84 (REAFFIRMED FOR PART 1&3 OF 1992) Make/Brand:-me or medc,	1	CWS ERM	1000 Nos.	17-06-2022	IREPS
31	93225252100291 dt.17-MAY-22 on M/s.CHHATTISGAR H COMPUTERS- KORBA	86682.8	DESK TOP COMPUTER WITH PRELOADED OPERATING SYSTEM:- 1. Processor-Intel i3 series/AMD Ryzen 3 series. it should be 64 bit 2. Mother board-Should be compatible with the processor Should have atleast 2 n	1	SR.DMO/G/TVC	2 Nos.	17-06-2022	IREPS
32	93225231100292 dt.17-MAY-22 on M/s.VERTEX SCIENTIFIC AND LAB INSTRUMENTS CO-	49442	HOT AIR OVEN: 1. It should have minimum capacity of 95 litres. 2. It should have ambient temperature range upto 250 degree celsius 3. Door should be insulated, double walled, fitted with hinges and sh	1	SR.DMO/G/TVC	1 Nos.	17-06-2022	IREPS
33	93225267200293 dt.18-MAY-22 on M/s.MOSIL LUBRICANTS PRIVATE LIMITED, MUMBAI	70800	Rust Cleaning agent in 500 ML container pack with nozzle	1	SSE/C AND W/TVC	500 Nos.	31-05-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
34	93225283200294 dt.19-MAY-22 on M/s.R B SALES, RANCHI	26048	UPS 0.6-0.8 kva, 220-230 V ACInput phase Single phase, Rated Battery Voltage 12 Volt, Maximum operational AC Input voltage 220- 230 , Output Voltage 220-230V AC1% Audible Alarm Low Battery Alarm, Mai	1	DRM/C/TVC	11 Nos.	02-06-2022	GeM
35	93225273200295 dt.20-MAY-22 on M/s.SAM SYSTEMS BHOPAL	77960	HP 88A Black Toner cartridge for HP Laser jet P1007, P1108 and HP Laser jet M1136MFP printers.	1	SR.DOM/TVC	20 Nos.	01-06-2022	GeM
36	93225310200296 dt.20-MAY-22 on M/s.PELIKAN OFFICE AUTOMATION PRIVATE LIMITED,	19147	Colour inkjet computer printer, Paper size- A3, Cartridge technology-INK, Warranty-1 year. Make like EPSON, HP or CANON only.	1	OS/OPERATIONS/TVC	1 Nos.	02-06-2022	GeM
37	93225258100297 dt.20-MAY-22 on M/s.VMV INDUSTRIES- GHAZIABAD	3563994	150 SQMM Hard drawn standard copper conductor for feeder wire of size 37/2.25 SQ MM .Over all dia 15.75mm as per RDSO specification TI/SPC/OHE/HDCSCF/0030 or latest.Material required in 1500 mtr lengt	1	SSE/OHE/KYJ	1.99 MT	19-08-2022	IREPS
			150 SQMM Hard drawn standard copper conductor for feeder wire of size 37/2.25 SQ MM .Over all dia 15.75mm as per RDSO specification TI/SPC/OHE/HDCSCF/0030 or latest.Material required in 1000 mtr lengh	2	SSE/OHE/TRD/NCJ	1.33 MT	19-08-2022	



Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
38	93225240100298 dt.20-MAY-22 on M/s.VMV INDUSTRIES- GHAZIABAD	4028393	Jointless grooved copper contact wire 107 Sq.MM made out of continues cast copper wire rods as per RDSO Specification No:TI/SPC/OHE/CW/0971 dt:04/01/2021 or latest.Material to be supplied in wooden dr	1	SSE/TRD/OHE/CKI	1.15 MT	04-08-2022	IREPS
			Jointless grooved copper contact wire 107 Sq.MM made out of continues cast copper wire rods as per RDSO Specification No:TI/SPC/OHE/CW/0971 dt:04/01/2021 or latest.Material to be supplied in wooden dr	2	SSE/TRD/TCR	1.15 MT	04-08-2022	
			Jointless grooved copper contact wire 107 Sq.MM made out of continues cast copper wire rods as per RDSO Specification No:TI/SPC/OHE/CW/0971 dt:04/01/2021 or latest.Material to be supplied in wooden dr	3	SE/OHE/ERS	1.44 MT	04-08-2022	
39	93225261100299 dt.20-MAY-22 on M/s.STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED- LUCKNOW	2789699	Jointless grooved copper contact wire 107 Sq.MM made out of continues cast copper wire rods as per RDSO Specification No:TI/SPC/OHE/CW/0971 dt:04/01/2021 or latest.Material to be supplied in wooden dr	1	JE-II/OHE/KTYM	1.15 MT	20-07-2022	IREPS
			Jointless grooved copper contact wire 107 Sq.MM made out of continues cast copper wire rods as per RDSO Specification No:TI/SPC/OHE/CW/0971 dt:04/01/2021 or latest.Material to be supplied in wooden dr	2	SSE/OHE/KYJ	1.44 MT	20-07-2022	

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
40	93225292100300 dt.23-MAY-22 on M/s.JIO STEEL INDIA-MUMBAI	244779.2	STAINLESS STEEL PIPE FITTINGS AND FERRULES FOR AIR PIPING ARRANGEMENT OF LHB COACHES CONSISTING OF 11 ITEMS AS PER SPECIFICATION No.ICF/MD/SPEC-166 WITH LATEST AMENDMENTS AND REVISION & DRAWING TO	1	SSE/CW/ERM/CD	5 Set	23-06-2022	IREPS
41	93225221200301 dt.23-MAY-22 on M/s.ALAN POWER SYSTEMS, BHOPAL	55960	LEAD ACID BATTERY, 150 AH, 12 V, FLOODED TYPE, HEAVY DUTY WITH HIGH CRANKING PERFORMANCE, CONTAINER MATERIAL OF POLYPROPYLENE , SUITABLE FOR DG SET STARTING PURPOSE CONFORMING TO IS 14257/1995 . WARRA	1	SSE/E/ALLP	4 Nos.	03-06-2022	GeM
42	93225313100302 dt.24-MAY-22 on M/s.ORBIT INDUSTRIES- NAGPUR	345001.3	Portable emergency lighting System with Inflatable Balloon and with one set of Accessories Technical Specification :- Dimension LXBXH : 585X450X520 MM, Tower Height & Weight-4.5 mts & 45kgs	1	SSE/C AND W/TVC	3 Nos.	08-08-2022	IREPS
43	93225294200303 dt.24-MAY-22 on M/s.Shree Om Enterprises, Delhi	39192	Computer revolving chair1.Material of Fabric Back Cover / Material for Backrest: mesh fabric,2. Chair Type 360 Degree swivel,posture control with multilocking position synchronized mechanism,3. Height	1	DRM/C/TVC	8 Nos.	22-06-2022	GeM
44	93225309100304 dt.26-MAY-22 on M/s.AMARA RAJA POWER SYSTEMS LTD.-TIRUPATHI	259600	Supply of 2 KVA Inverter Part No: DADI-110020 suitable for M/S Amara Raja Make IPS conforming to RDSO Spec:No:RDSO/SPN/165/2012 Version 3 or latest.Warranty 12 Months MAKE-SELF	1	SSE/S/SRM/TVC	4 Nos.	10-07-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
45	93225299100305 dt.26-MAY-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	12500.01	STORAGE UNIT- TECHNICAL SPECIFICATION 1) It should have a dimension of minimum length 1500 mm x depth 450 mm x height 750 mm. 2) It should be made of block 25 mm thickness 3 layer prelaminated particl	1	SR.DMO/G/TVC	1 Nos.	26-06-2022	IREPS
46	93225288100306 dt.26-MAY-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	24500.01	EXECUTIVE TABLE FOR OPHTHALMOLOGY CLINIC Firm's offer: Make/Brand:hifurn, EXECUTIVE TABLE FOR OPHTHALMOLOGY CLINIC, SIZE LENGTH 151CM X DEPTH 95 CM X HEIGHT 76CM , TRIPLE STORAGE UNIT FOR EITHER SIDE,F	1	SR.DMO/G/TVC	1 Nos.	26-06-2022	IREPS
47	93225298100307 dt.26-MAY-22 on M/s.ARHAM POLYCHEM PVT. LTD-KOLKATA	43630.5	FUSE BLOCK WITHOUT ND FUSES DRG NO. 23748 (ALT -4) RDSO SPEC IRS -S- 75/2006 (REV - 2) MAKE-ARHAM	1	SSE/S/SRM/TVC	365 Nos.	24-08-2022	IREPS
			FUSE BLOCK WITHOUT ND FUSES DRG NO. 23748 (ALT -4) RDSO SPEC IRS -S- 75/2006 (REV - 2) MAKE-ARHAM	2	SSE/S/SRM/TVC	10 Nos.	24-08-2022	
			FUSE BLOCK WITHOUT ND FUSES DRG NO. 23748 (ALT -4) RDSO SPEC IRS -S- 75/2006 (REV - 2) MAKE-ARHAM	3	SSE/S/SRM/TVC	10 Nos.	24-08-2022	

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
48	93225269100308 dt.26-MAY-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	35850	Executive Table of three layers pre-laminated particle board (Wood Product). Thickness of top -38 Millimeter (MM) . Length of the table - 2000 millimeters. Depth of table: 1050 mm, Height of table:775	1	SR.DSTE/TVC	1 Nos.	25-06-2022	IREPS
49	93225304100309 dt.29-MAY-22 on M/s.DEEV GEN SET SALES AND SERVICES-VALSAD	224610.6	AUTOMATIC VOLTAGE REGULATOR (AVR) FOR BHELEML MAKE, 500 KVA/750V ALTERNATOR, MODEL NO. TA3560L7SP FOR POWER CAR. MAKE:KEL ONLY ACCEPTABLE MAKE-KEL EML	1	SE/ELE/KCVL	2 Nos.	28-06-2022	IREPS
50	93225168200310 dt.30-MAY-22 on M/s.M/s.DEEP JYOTI RUBBER PRIVATE LIMITED, DELHI	101660	Insulating mats for Electrical purpose made of Elastomeric for use as floor covering in front of HT Control panel for the protection of workers on ac installations with the system voltages up to 33 kV	1	TRD/PSI/ERS	170 MTR	03-06-2022	GeM
51	93225301200311 dt.30-MAY-22 on M/s.M/s.Legendar y Distributors Pvt. Ltd., Eranakulam	219135	Laser Mono Computer Printers for A4 paper size. Type of printing-Mono, Duplexing features-Yes, Wireless connectivity-Yes. 3 Years on site OEM warranty.	1	SR.DEN/TVC	15 Nos.	10-06-2022	GeM
52	93225312200312 dt.30-MAY-22 on M/s.HI TECH CABLE INDUSTRIES- JAIPUR	147500	2.5 Sq mm single core copper cable, Category of Cable-FRPVC insulated Conductor material as per Cl.4.1 of IS: 694:2010 (Complying with IS: 8130:1984 latest) Plain Copper, Grade voltage 1100v.Make- Fin	1	SSE/E/ERS	5000 MTR	10-06-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	POSr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
53	93225311200313 dt.30-MAY-22 on M/s.SANCHAR COMMUNICATION SYSTEMS,, NEW DELHI	51330	Original Motorola 2500 MAh Li-ion battery pack (7.4 Volt) for GP 328/GP338 walkie-talkie sets. Warranty : One year	1	SR.DOM/TVC	50 Nos.	04-06-2022	GeM
54	93225306200314 dt.30-MAY-22 on M/s.GAURAV HEAVY ENGINEERING INDIA PRIVATE	62699.4	Recessed mounting type slim panel down lighter Square type 24 watts made of die cast Aluminium body with mounting bracket., Colour Temp - 6000+/- 500 *k, in built driver unit suitable for operating in	1	SSE/E/KTYM	60 Nos.	10-06-2022	GeM
55	93225284200315 dt.30-MAY-22 on M/s.SUGAN ENTERPRISES, CHENNAI	180450	LIPI OEM Ribbon cartridge Model 6600/6800 Tally Genicom original of length 43 meter with Hologram on the Ribbon Cartridge.	1	DRM/C/TVC	75 Nos.	14-06-2022	GeM