

June 2022 - Purchase Orders

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|--|-------|---------------|----------|------------|------------|
| 1 | 93225305100316 d t.02-JUN-22 on M/s.JAIBALAJI CONTROLGEARS PRIVATE LIMITED- CHENNAI | 124466.4 | External supply plug 125Amps, 415V, IP-67,5Pole (3P +N+E) with pilot contacts similar to make JAIBALAJI , Model No.J1255SP (67) Make/Brand:JAIBALAJI make Model J1255SP IP67. | 1 | SSE/AC/TVC | 25 Nos. | 03-07-2022 | IREPS |
| 2 | 93225303100317 d t.02-JUN-22 on M/s.R.K. ELECTRICS AND ENGG. INDUSTRIES- HOWRAH | 59590 | Adaptor Assembly equivalent to S. International Part No. SI/LHB/JPA/SUBA - 05 or Adaptor assembly equivalent to MAA Laxmi Part No. MLI/LHB/JPA-09 to RCF Specification No. EDTS-105 Rev. E Amendment | 1 | SSE/AC/TVC | 50 Nos. | 03-07-2022 | IREPS |
| 3 | 93225344100318 d t.02-JUN-22 on M/s.AMARA RAJA POWER SYSTEMS LTD.-TIRUPATHI | 118000 | Supply of 12-28 V/5A DC DC Converter module PartNo:D1012028050 suitable for M/S Amara Raja Make IPS conforming to RDSO Spec: No: RDSO/SPN/165/2012 Version 3 or latest. Make/Brand:-Self | 1 | SSE/S/SRM/TVC | 5 Nos. | 18-07-2022 | IREPS |
| 4 | 93225320100319 d t.02-JUN-22 on M/s.RECON ENGINEERING CO P LTD-KOLKATA | 20650 | CUT-OFF ANGLE COCK WITH VENT TO DRG NO.WD-88123/S-01, ALT-2, APPENDIX-D' OF 02-ABR- 02, AMENDT.NO.4 OF SEP:2016. Make/Brand:-RECON | 1 | CWS ERM | 25 Nos. | 03-07-2022 | IREPS |
| 5 | 93225320100320 d t.02-JUN-22 on M/s.AMITA ENGINEERING WORKS-HOWRAH | 89331.9 | CUT-OFF ANGLE COCK WITH VENT TO DRG NO.WD-88123/S-01, ALT-2, APPENDIX-D' OF 02-ABR- 02, AMENDT.NO.4 OF SEP:2016. MAKE/BRAND:-AMITA | 1 | CWS ERM | 103 Nos. | 03-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|-------------|------------|------------|------------|
| 6 | 93225327100321 d t.02-JUN-22 on M/s.SANJUKTA ELECTRONICS- KOLKATA | 271388.2 | HRC FUSE LINK 25A/1000V SUITABLE FOR LHB TYPE NON AC COACHES .MAKE-SIBA ,FERRAZ, ETI-PART NO:004182475, BUSSMAN, SIEMENS, ONLY. SUITABLE TO SIBA PART NO 2038603, SIZE: NH000M Make/Brand:SIBA PART NO. | 1 | SE/ELE/KCVL | 200 Nos. | 03-07-2022 | IREPS |
| 7 | 93225323100322 d t.02-JUN-22 on M/s.RAGHAV INDUSTRY-JANJGIR CHAMPA | 283200 | Portable train detection and warning system consists of light weight portable units 3 Nos. with sensor mechanism (One Unit at work site as receiver cum hooter unit to raise alarm and one each on eith | 1 | SE/PWAY/ERS | 2 Set | 03-07-2022 | IREPS |
| 8 | 93225314200323 d t.02-JUN-22 on M/s.GAURAV HEAVY ENGINEERING INDIA PRIVATE | 97470 | LED Tube Light with Fixture includes its complete fittings with the following features LED tube lights 20 watts/2000 lumen suitable for G13 bi pin lamp holder, 1220 mm [4 feet] length, IP20 of protec | 1 | SSE/E/ERS | 500 Nos. | 17-06-2022 | GeM |
| 9 | 93225367100324 d t.03-JUN-22 on M/s.HICO MULTIFIN PRODUCTS PVT LTD-KOLKATA | 767000 | M.S.FLAT 40x 6MM CONFIRMING TO IS 2062 OR ITS LATEST FOR MATERIALS AND IS 1730 OR ITS LATEST FOR THE DIMENSION,Inspection :RITES Make / Brand: AS PER TENDER | 1 | SSE/OHE/KZK | 10000 Kgs. | 03-08-2022 | IREPS |
| 10 | 93225319100325 d t.03-JUN-22 on M/s.STEEL CENTRE- HOWRAH | 151630 | FLANGE COVER FOR BTPN/BTFLN, 5MM THICK, MATERIAL MILD STEEL. RDSO DRG NO 86081-S66-ALT-12,ITEM NO.13 MAKE/BRAND:-SC | 1 | SSE/C&W/IPN | 500 Nos. | 04-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|---|-------|-----------------|----------|------------|------------|
| 11 | 93225353100326 d t.03-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 76700 | Relay Drive Card for HASSDAC as per RDSO Specification No.RDSO/SPN/177/2012 with version 3 or latest. MAKE/BRAND:-Central Electronics Limited, Sahibaba | 1 | SI KTYM | 2 Nos. | 19-07-2022 | IREPS |
| 12 | 93225352100327 d t.03-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 372408 | Dual Micro Controller Logic Card No.4 for HASSDAC as per RDSO Specification No.RDSO/SPN/177/2012 with version 3 or latest. MAKE/BRAND:-Central Electronics Limited, Sahibabad | 1 | SI KTYM | 4 Nos. | 19-07-2022 | IREPS |
| 13 | 93225351100328 d t.03-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 153400 | Signal Conditioning Card - SSC.1 for HASSDAC as per RDSO Specification No.RDSO/SPN /177/2012 with version 3 or latest MAKE/BRAND:-Central Electronics Limited, Sahibabad | 1 | SI KTYM | 4 Nos. | 19-07-2022 | IREPS |
| 14 | 93225290100329 d t.03-JUN-22 on M/s.SHREE GOPAL ENTERPRISES- SECUNDERABAD | 61879.2 | SS MINI TEST COUPLING OF SIZE M16 x 1.5 x 1.4 INCH MAKE/BRAND:-self | 1 | SSE/CW/ERM/CD | 380 Nos. | 14-06-2022 | IREPS |
| 15 | 93225167200330 d t.03-JUN-22 on M/s.UBIXA, AMRAVATI | 39700 | Stainless Steel LCD Digital Outside micrometer,Non-removable anvil with flat measuring face,Flat shaped of the Spindle end tipped with tungsten carbide,0-50 mm measurement range,0.0001 millimeter reso | 1 | SE/TRD/OHE/ALLP | 4 Nos. | 16-06-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|-----------------|----------|------------|------------|
| 16 | 93225330100331 d t.03-JUN-22 on M/s.SHREE SATGURU ENGINEERING WORKS-THANE | 35966.4 | Wooden Wedge for AC Locomotive as per drawing no: V/E/OP/TVC- D1/2020-21 dtd 21.10.2020 . WEDGE SHOULD BE WELL SEASONED, FREE FROM KNOTES FLAWS AND INSECT DAMAGE. SURFACE OF THE WEDGE MUST BE SMOOTH A | 1 | SE/TRS/ERS | 600 Nos. | 03-07-2022 | IREPS |
| 17 | 93225289100332 d t.03-JUN-22 on M/s.SDS ENGINEERING SERVICES-CHENNAI | 15229.08 | Cordless Brushless Electric Drill 1000 Watt with the following specifications :- Chuck Size : 3/8 or 1/2 inch, Type : Cordless , Chuck Type : Keyless , Motor Type : Brushless. , Power Rating : 1000 | 1 | SE/TRS/ERS | 2 Nos. | 03-07-2022 | IREPS |
| 18 | 93225362100333 d t.03-JUN-22 on M/s.RAJASTHAN MINING AND ENGINEERING PVT.LTD.-JAIPUR | 1040760 | Abrasive Rail Cutter as per specification No.-TM/SM/1(Second Revision) Make / Brand: MAHENDRA | 1 | SSE/PW(STM)/QLN | 28 Nos. | 02-09-2022 | IREPS |
| 19 | 93225318100334 d t.05-JUN-22 on M/s.ELECTROPAIR- KOLKATA | 427345.1 | Surge protection device (SPD) Class C for (60-110V AC/DC C type) as per specification in the enclosure (One set contains 3 Nos of SPD with KEMA or VDE certified as per latest IECC 61643-11-2011 stand | 1 | SSE/S/SRM/TVC | 165 Set | 05-08-2022 | IREPS |
| 20 | 93225317100335 d t.05-JUN-22 on M/s.ELECTROPAIR- KOLKATA | 431659.1 | Surge protection device (SPD) Class C for (24-60 V DC C Type) as per specification in the enclosure (One set contains 3 Nos of SPD with KEMA or VDE certified as per latest IECC 61643-11-2011 standard | 1 | SSE/S/SRM/TVC | 160 Set | 05-08-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|---------------|-----------|------------|------------|
| 21 | 93225331100336 d t.05-JUN-22 on M/s.ULTRA ELECTRONICS PRIVATE LIMITED- KOLKATA | 212364.6 | Universal plug in type tractive armature A/C lamp proving Relay (metal to carbon) for 110 V AC LED signal lamp proving BRS.941 A STS/E/Relays/AC LIT LED Signal /0-9-2002,Amdt-1(for all aspect ECR | 1 | SSE/S/SRM/TVC | 32 Nos. | 05-08-2022 | IREPS |
| | | | Universal plug in type tractive armature A/C lamp proving Relay (metal to carbon) for 110 V AC LED signal lamp proving BRS.941 A STS/E/Relays/AC LIT LED Signal /0-9-2002,Amdt-1(for all aspect ECR | 2 | SSE/S/SRM/TVC | 10 Nos. | 05-08-2022 | |
| 22 | 93225328100337 d t.05-JUN-22 on M/s.LOKENATH TRADING CORPORATION- HOOGHLY | 179637.3 | PBT TERMINAL 25 MM CENTRE AS PER SPEC.NO.IRS.S.75/2006(REV.2.DRG NO.SA 23741 A) ALT.4 . MAKE/BRAND: NEO 4-D ELECTRONICS SYSTEMS PVT LTD,PBT TERMINAL 25 MM CENTRE AS PER SPEC.NO.IRS.S.75/2006(REV.2.DR | 1 | SSE/S/SRM/TVC | 2235 Nos. | 05-08-2022 | IREPS |
| | | | PBT TERMINAL 25 MM CENTRE AS PER SPEC.NO.IRS.S.75/2006(REV.2.DRG NO.SA 23741 A) ALT.4 . MAKE/BRAND:NEO 4-D ELECTRONICS SYSTEMS PVT LTD,PBT TERMINAL 25 MM CENTRE AS PER | 2 | SSE/S/SRM/TVC | 700 Nos. | 05-08-2022 | |
| | | | PBT TERMINAL 25 MM CENTRE AS PER SPEC.NO.IRS.S.75/2006(REV.2.DRG NO.SA 23741 A) ALT.4 . MAKE/BRAND:NEO 4-D ELECTRONICS SYSTEMS PVT LTD., BT TERMINAL 25 MM CENTRE AS PER | 3 | SSE/S/SRM/TVC | 50 Nos. | 05-08-2022 | |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|-------------------|----------|------------|------------|
| 23 | 93225350100338 d t.05-JUN-22 on M/s.LOKENATH TRADING CORPORATION- HOOGHLY | 79709 | PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA- 23745(ALT-5). MAKE/BRAND:NEO 4-D ELECTRONICS SYSTEMS PVT LTD.,PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA-23 | 1 | SSE/S/SRM/TVC | 895 Nos. | 04-08-2022 | IREPS |
| | | | PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA- 23745(ALT-5). MAKE/BRAND:NEO 4-D ELECTRONICS SYSTEMS PVT LTD.,PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA-23 | 2 | SSE/S/SRM/TVC | 20 Nos. | 04-08-2022 | |
| | | | PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA- 23745(ALT-5). MAKE/BRAND:NEO 4-D ELECTRONICS SYSTEMS PVT LTD.,PBT TERMINAL-60MM CENTRE. RDSO SPEC IRS: S-75/2006(REV.2) DRG.NO.SA-23 | 3 | SSE/S/SRM/TVC | 50 Nos. | 04-08-2022 | |
| 24 | 93225332100339 d t.06-JUN-22 on M/s.EPSILON ELECTRONIC EQUIPMENT AND COMPONENTS | 112100 | 2 wire /4 wire Portable Control Telephone with RDSO spec: IRS.TC.75/99 with amendment 2 or latest MAKE- EPSILON | 1 | SSE/T/WL/TVC | 50 Nos. | 06-08-2022 | IREPS |
| 25 | 93225329100340 d t.06-JUN-22 on M/s.HUBER AND SUHNER ELECTRONICS PVT LTD-GURGAON | 375240 | Jumper Cable F1 and F2 assembly 8.4 meter of Harting make or similar for 3 phase AC MEMU rake with MEDHA Electrics. Make Brand - HUBER+SUHNER | 1 | SSE/MEMU SHED/QLN | 2 Set | 06-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|--|-------|---------------|----------|------------|------------|
| 26 | 93225342100341 d t.06-JUN-22 on M/s.USAM TECHNOLOGY SOLUTIONS PRIVATE LIMITED- CHENNAI | 19554.96 | HP Ink Cartridge 933 XL Cyan MAKE-HP Ink Cartridge 933 XL Cyan | 1 | SR.DSTE/TVC | 4 Nos. | 07-07-2022 | IREPS |
| | | | HP Ink Cartridge 933 XL Magenta MAKE- HP Ink Cartridge 933 XL Magenta | 2 | SR.DSTE/TVC | 4 Nos. | 07-07-2022 | |
| | | | HP Ink Cartridge 933 XL Yellow MAKE-HP Ink Cartridge 933 XL Yellow | 3 | SR.DSTE/TVC | 4 Nos. | 07-07-2022 | |
| 27 | 93225342100342 d t.06-JUN-22 on M/s.LAKSHMI TRADINGS AND MOVERS-ARIYALUR | 9298.4 | HP Ink Cartridge 932 XL Black MMAKE-HP 932 BLACK | 1 | SR.DSTE/TVC | 4 Nos. | 07-07-2022 | IREPS |
| 28 | 93225368100343 d t.06-JUN-22 on M/s.SREE CHAND ELECTRICAL INDUSTRIES PVT. LTD.-HOWRAH | 61832 | Track feed resistance 15 ohms 30 W as per RDSO Drg.No: SA 20161/M-63/M MAKE-SCEIPL | 1 | SSE/S/SRM/TVC | 200 Nos. | 07-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|-------------------|----------|------------|------------|
| 29 | 93225369100344 d t.07-JUN-22 on M/s.UNITED INDUSTRIES- ERODE | 647820 | Supply,Installation ,Testing and commissioning of Load Control Circuit (LCC Electronic module suitable for 700/1400HP DEMU/Diesel Electric Tower Wagon .LCC -B1 & LCC-B2 ,Cummins Part No.3167062 & 3167 | 1 | SSE/OHE/KYJ | 1 Nos. | 07-08-2022 | IREPS |
| 30 | 93225308100345 d t.07-JUN-22 on M/s.ARC TECHNOLOGY AND ENGINEERS- FARIDABAD | 1224650 | Stainless Steel Litter bin below outside wash basin to ICF DRG. NO: ICF/SK 3-6-4- 035, Col. I, Alt: Nil. Make / Brand: arctech | 1 | SSE/C AND W/TVC | 350 Nos. | 22-08-2022 | IREPS |
| 31 | 93225339200346 d t.07-JUN-22 on M/s.VJ INTERIOR PRIVATE LIMITED, DELHI | 29600 | High back rest mesh office revolving chair with fixed arm rest, PU foam covered with mesh fabric seat, overall height -1280mm, back rest height- 730mm, ,width-500mm. Warranty-1 year. | 1 | OS/OPERATIONS/TVC | 5 Nos. | 07-07-2022 | GeM |
| 32 | 93225324200347 d t.07-JUN-22 on M/s.Power associates- Karnataka, Bangalore, | 212000 | Energy efficient BEE 5 star rated BLDC A/c ceiling fan 1200 mm sweep with 3 leaf, double ball bearing, suitable to operate on single phase 140v to250v range, frequency 50Hz at a speed of 350RPM with e | 1 | SSE/E/ERS | 80 Nos. | 07-07-2022 | GeM |
| 33 | 93225364200348 d t.08-JUN-22 on M/s.PRATIK ENTERPRISES, PUNE | 210000 | Surface Roughness Measuring Instrument as per detailed technical specification attached. | 1 | SSE/PW(STM)/QLN | 1 Nos. | 07-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|--------------|----------|------------|------------|
| 34 | 93225307200349 d t.09-JUN-22 on M/s.UBIXA, AMRAVATI | 24300 | Digital Multimeter RISHABH Hand Held 100KHz with accessories and calibration certificate or similar to feature enclose type. GEM ID:5116877-43250076525 | 1 | SI NCJ | 10 Nos. | 22-06-2022 | GeM |
| 35 | 93225370100350 d t.09-JUN-22 on M/s.POLY WELD PRIVATE LIMITED- GHAZIABAD | 169037.6 | Contactora with surge suppressor for LHB AC Coaches(K44), Current rating-100 Amps, AC 3,voltage rating 690VAC, 50/60 HZ, Main pole 4 Nos, Aux. contact 1 NO + 1 NC, Control voltage 168-300V AC, Pla | 1 | SSE/AC/TVC | 18 Nos. | 10-07-2022 | IREPS |
| 36 | 93225326200351 d t.09-JUN-22 on M/s.LUXMI SALES CORPORATION, DELHI | 94000 | LED Tube Light with Fixture 18 w TUBE AS PER THE FOLLOWING SPECIFICATION. Colour Temperature of LED shall be 6000-6500 degree Kelvin. Type of Tube Light Cap G-13 Bi-Ingress Protection in IP IP 20, Ra | 1 | SSE/E/KTYM | 500 Nos. | 09-07-2022 | GeM |
| 37 | 93225365200352 d t.09-JUN-22 on M/s.LIFESTYLE DECOR, JABALPUR | 26505 | PLASTIC CHAIR: 1. IT SHOULD BE MADE OF POLYPROPYLENE 2. IT SHOULD BE SINGLE PIECE PLASTIC MOULDED CHAIRS 3. IT SHOULD HAVE ARMS 4. STABILITY AND STRENGTH OF CHAIR MUST CONFIRM TO STANDARDS OF IS 5416 | 1 | SR.DMO/G/TVC | 45 Nos. | 09-07-2022 | GeM |
| 38 | 93225347200353 d t.09-JUN-22 on M/s.AMYRA TRADING COMPANY, DELHI | 13312 | DELTAMETHRIN 2.5% SC | 1 | CHI/DN /TVC | 16 LTR | 09-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|------------|----------|------------|------------|
| 39 | 93225375100354 d t.10-JUN-22 on M/s.GOPAL METAL WORKS-KOLKATA | 145848 | Anchor Loop (5008)Specn.TI_SPC_OHE_Fittings_0130 with A& C Slip no:1 ETI-OHE-13(4-84) may 2018 or latest Make Brand -GMW | 1 | SE/OHE/ERS | 100 Nos. | 10-07-2022 | IREPS |
| 40 | 93225377200355 d t.10-JUN-22 on M/s.OMLITE SCIENTIFIC PRIVATE LIMITED, HARIDWAR | 4600 | Table top mounted Wet grinder of capacity 05 litres with single stone. Drum and body material; stainless steel .Input power and voltage-single phase,230 volts with one year motor and complete unit war | 1 | CCRC/QLN | 1 Nos. | 09-07-2022 | GeM |
| 41 | 93225387200356 d t.10-JUN-22 on M/s.DIGITECH ELECTRONIC SYSTEMS PVT LTD- MUMBAI | 95108 | Desktop Computer core i3 and above processer ,Windows 10 loaded ,8 GB RAM ,with SSD capacity 256 GB. Monitor size 18.5 inch with resolution 1366X768 Model like INP,Acer, Dell or HP with Warranty-3 Yrs | 1 | CCRC/ERS | 2 Nos. | 09-07-2022 | GeM |
| 42 | 93225224200357 d t.10-JUN-22 on M/s.Gruh Sajavat, Surat | 43323 | Three piece sofaset , teakwood minimum 25 mm thickness fully upholstered with cream colour fabric material .length of single seater 660 mm and three seater 1950 mm teak colour finish with 2 Year warra | 1 | CCRC/ERS | 1 Nos. | 09-07-2022 | GeM |
| 43 | 93225293100358 d t.11-JUN-22 on M/s.R. R. INSULATION AND ENGINEERING WORKS-BHOPAL | 56670.68 | DOOR CHAINLESS COTTER LONG TO DRG.NO.W/DW-2517 ALT.2 Make/Brand:- RRI | 1 | CWS ERM | 200 Nos. | 12-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|---------------|----------|------------|------------|
| 44 | 93225291100359 d t.11-JUN-22 on M/s.TUSHACO ENGINEERS- HOWRAH | 22715 | Door chainless cotter bracket Specn. IS: 2062 Grade - E250, Cu A Drg.No. WD - 90030-S-66, Item -13, Alt - 9. Make/Brand:TE | 1 | CWS ERM | 500 Nos. | 12-07-2022 | IREPS |
| 45 | 93225396100360 d t.11-JUN-22 on M/s.EPSILON ELECTRONIC EQUIPMENT AND COMPONENTS | 153400 | Filter Unit for use in conjunction with Block Instrument in 25KV,50HZ,AC Traction areas as per RDSO Spec.No.IRS:S:68/89 with latest amend. MAKE-EPSILON | 1 | SSE/S/SRM/TVC | 10 Nos. | 12-07-2022 | IREPS |
| 46 | 93225372100361 d t.11-JUN-22 on M/s.APEX ENTERPRISE- MUMBAI. | 2803.7 | TONER KIT FOR PHOTO COPIER MODEL KYOCERA-TASKALFA 2201 ORIGINAL REQUIRED. MAKE-Kyocera original Make | 1 | AMM/DP/TVC | 2 Nos. | 12-07-2022 | IREPS |
| 47 | 93225371100362 d t.11-JUN-22 on M/s.VEE TEE STATIONERS- MUMBAI | 7498.9 | Color Cartridge for Canon Printer MAXIFY MB5170 (PGI-2700 Black-XL 1 No,PGI-2700 Cyan XL-1 No, PGI-2700 Yellow XL 1 No and PGI-2700 Magenta XL-1 No) OEM Only Required. MAKE-CANON | 1 | AMM/DP/TVC | 1 Set | 12-07-2022 | IREPS |
| 48 | 93225300100363 d t.13-JUN-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHAP | 47600.02 | Executive Office Chair (VJ-1274) VJ Interior 360 Degree swivel, posture control with multi locking position synchronized mechanism back rest symmetrical lumber support integrated, Arm with, Arm type: | 1 | SSE/PWAY/QLN | 4 Nos. | 14-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|---------------|----------|------------|------------|
| 49 | 93225335200364 d t.13-JUN-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHAP | 14890 | Executive table rectangular 1800 mm X900X750 with gable end modest panel and legs,4 nos buffer at bottom, Warranty minimum 1 year | 1 | DRM/G TVC | 1 Nos. | 10-07-2022 | GeM |
| 50 | 93225338200365 d t.13-JUN-22 on M/s.BHARAT FURNITURE MFG. CO. (INDIA), AMBERNATH | 6350 | Revolving chair with arm ,cushion backrest and seat,360 degree swivel with syncro adjustment.Warranty minimum 1 year | 1 | DRM/G TVC | 1 Nos. | 10-07-2022 | GeM |
| 51 | 93225400100366 d t.13-JUN-22 on M/s.SHYAM SUNDAR CASTING (P) LTD-HOWRAH | 440659.2 | E Type lock with brass ward as per RDSO Drg. No: SA -3376/M and Key as per RDSO Drg. No: S-3377/M to suit RDSO Spec. No. IRS:S-30/64 or latest. (Ward No: 1 to 33 , Except 29 each - 10Nos.) Make/Br | 1 | SSE/S/SRM/TVC | 320 Nos. | 13-08-2022 | IREPS |
| 52 | 93225399100367 d t.14-JUN-22 on M/s.BISHWAKARM A ENGINEERING WORKS-KOLKATA | 698560 | FRP Type Goods warning sighting board with MS angle 75 X 75 X 6 MM X 3900 MM long(FRP Sheet spec.no. : RDSO/SPN/194/2006.Rev-2. And MS angle spec .No : IS:2062/1999) Detailed Spec. Enclosed as | 1 | SSE/S/SRM/TVC | 100 Nos. | 14-08-2022 | IREPS |
| 53 | 93225274200368 d t.14-JUN-22 on M/s.Om Infotech, BHILWARA | 418220 | Desktop Computer, Intel Core i3 10100 8 GB/1000 GB HDD/ Windows 10 Professional, DDR4, Wifi connectivity, HDMI video output, 10/100/1000 Gbps Ethernet port, LED Backlit 21.5" Monitor (1920 X 1080), 3 | 1 | SR.DEN/TVC | 10 Nos. | 13-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|---|-------|---------------|----------|------------|------------|
| 54 | 93225398100369 d t.14-JUN-22 on M/s.NIS MARKETING PVT LTD-NEW DELHI | 831121.2 | GEAR CASE OIL FOR APPLICATION IN HHP LOCOMOTIVES, SERVO SYNGEAR 460 RR OF M/S. IOCL OR MOBIL SHC 634 OF M/S. EXXON MOBIL TO PL NO.80010349 PACKED ON 210/208 LITRES NET, IN NEW, SOUND AND NON- RETURNAB | 1 | SSE/DSL/ERS | 1260 LTR | 14-08-2022 | IREPS |
| 55 | 93225395100370 d t.16-JUN-22 on M/s.ULTRA ELECTRONICS PRIVATE LIMITED- KOLKATA | 197532 | B type choke as per IRS:S: 65/83 with latest amendment. Make/Brand:-SELF | 1 | SSE/S/SRM/TVC | 93 Nos. | 17-07-2022 | IREPS |
| 56 | 93225395100371 d t.16-JUN-22 on M/s.EASTERN LAMINATION PVT LTD-KOLKATA | 39353 | B type choke as per IRS:S: 65/83 with latest amendment. Make/Brand:-Self Make | 1 | SSE/S/SRM/TVC | 23 Nos. | 17-07-2022 | IREPS |
| 57 | 93225366200372 d t.16-JUN-22 on M/s.IMPACT TECHNOLOGIES, GURGAON | 202500 | DESKTOP COMPUTER as per the detailed specification attached. Make:- DELL, HCL, HP,ACER,LENOVO, or ASUS only | 1 | DRM/E TVC | 5 Nos. | 14-07-2022 | GeM |
| 58 | 93225392200373 d t.16-JUN-22 on M/s.ADHVIK ENTERPRISES, GHATSILA | 9975 | PLASTIC CHAIR | 1 | SR.DMO/G/TVC | 15 Nos. | 14-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|-----------------|----------|------------|------------|
| 59 | 93225348200374 d t.16-JUN-22 on M/s.KM ENTERPRISES- PUDUCHERRY, PUDUCHERRY | 32560 | A3 colour inkjet printer (Tank model) Epson L1300 or similar reputed brands. Detailed specifications attached. | 1 | RRB/TVC | 1 Nos. | 08-07-2022 | GeM |
| 60 | 93225360200375 d t.16-JUN-22 on M/s.BANKE BEHARI CHEMICALS PRIVATE LIMITED, BAGALORE | 29250 | Bleaching Powder Grade I | 1 | CHI/DN /TVC | 500 Kgs. | 13-07-2022 | GeM |
| 61 | 93225334200376 d t.16-JUN-22 on M/s.Pioneer Trading Company, Bengaluru | 102416 | Portable Cordless Drill Machine | 1 | SSE/C AND W/TVC | 8 Nos. | 14-07-2022 | GeM |
| 62 | 93225432100377 d t.17-JUN-22 on M/s.JUDESON ENGINEERING SERVICES PRIVATE LIMITED- | 362412 | FUEL PUMP - B BANK SUITABLE FOR GREAVES COTTON MAKE DIESEL GENERATOR SET MODEL NO. 12V14TAG23 OF 500KVA CAPACITY- ITEM PART NO. 105292001470, MAKE: FIP MOTORPAL V12 B BANK HSN | 1 | SE/ELE/KCVL | 2 Nos. | 18-07-2022 | IREPS |
| 63 | 93225433100378 d t.17-JUN-22 on M/s.JUDESON ENGINEERING SERVICES PRIVATE LIMITED- | 362484 | FUEL PUMP - A BANK SUITABLE FOR GREAVES COTTON MAKE DIESEL GENERATOR SET MODEL NO. 12V14TAG23 OF 500KVA CAPACITY- ITEM PART NO. 105200246049, MAKE: FIP MOTORPAL V12 A BANK | 1 | SE/ELE/KCVL | 2 Nos. | 18-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|-----------------|----------|------------|------------|
| 64 | 93225420100379 d t.17-JUN-22 on M/s.VASANT ELECTRICALS- BANGALORE | 163968 | LED DOWN LIGHTER 18-20WATTS, INDOOR RECESS TYPE MOUNTED BACK KIT WITH OPAL DIFFUCER ROUND TYPE IN DIE CAST ALUMINIUM HOUSING CUM HEAT SINK WITH ALL ACCESSORIES. SUITABLE TO OPERATE IN 230V 50 HZ AC | 1 | SSE/E/P/TVC | 400 Nos. | 18-07-2022 | IREPS |
| 65 | 93225241100380 d t.17-JUN-22 on M/s.MECH ENGINEERING CORPORATION- CHENNAI | 35289.08 | Hand operated chain pulley block of minimum 5 Ton capacity with ISI mark. (Technical Specification attached) Make :Kepro, Maxpull, Kitto or Shakthi or Similar reputed brand. Make/Brand:- FERRETERP WIT | 1 | SSE/C AND W/TVC | 2 Nos. | 18-07-2022 | IREPS |
| 66 | 93225346200381 d t.17-JUN-22 on M/s.ROCKET MARKETING, NAGPUR | 34353 | 330 Liter Refrigerator with Double Door, insulated with puff & built in voltage stabilizer, which should be frost free with minimum 3 star rating | 1 | ADMO / ERS | 1 Nos. | 16-07-2022 | GeM |
| 67 | 93225391100382 d t.17-JUN-22 on M/s.S. S. UDYOG- FARIDABAD | 52687 | RTV SILICON SEALANT in 100 gm tube packs, as per the following specification (Cure system : Neutral, Colour : clear, Viscosity : Non -sag, Specific gravity : 1.0- 1.10, Skin forming time (at 25 degre | 1 | SSE/PSI/TRD/ERL | 235 Nos. | 17-07-2022 | IREPS |
| 68 | 93225363200383 d t.18-JUN-22 on M/s.ANIRUDH INFOTECH, DELHI | 41701 | UPS 0.6-0.8 kva, 220-230 V AC Input phase Single phase, Rated Battery Voltage 12 Volt, Maximum operational AC Input voltage 220-230 , Output Voltage 220-230V AC1% Audible Alarm Low Battery Alarm, Main | 1 | DRM/C/TVC | 17 Nos. | 16-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|--|-------|---------------|--------|------------|------------|
| 69 | 93225397100384 d t.18-JUN-22 on M/s.ACES ENTERPRISE-VASAI ROAD [EAST] | 292050 | Signal post telephone with talk back facility consist of 1. SM Console (a) Operating voltage 12V +/- 10%(b) Current consumption standby mode negligible, Listen mode 100 mA (c) Audio power O/P more tha | 1 | SSE/S/SRM/TVC | 45 Set | 18-07-2022 | IREPS |
| 70 | 93225401100385 d t.20-JUN-22 on M/s.MEDICAL ENGINEERS INDIA LIMITED-DELHI | 32922 | EMPTY OXYGEN GAS CYLINDER Capacity 7CUM Make/Brand:EKC | 1 | SE/PWAY/ERS | 2 Nos. | 21-07-2022 | IREPS |
| 71 | 93225401100386 d t.20-JUN-22 on M/s.SHREE GOPAL ENTERPRISES- SECUNDERABAD | 35352.8 | ACETYLENE CYLINDER EMPTY (STEEL CYLINDER OF 7 CUM WITH BRASS VALVE) make/Brand:indigenous | 1 | SE/PWAY/ERS | 2 Nos. | 21-07-2022 | IREPS |
| 72 | 93225379200387 d t.21-JUN-22 on M/s.POOJA ENTERPRISES, Ludhiana | 65000 | Fully charged flooded type Lead Acid storage Battery 12V 180 AH, In polypropylene container suitable for Generator starter application Make- Exide Express expo MHD 1800, SF Sonic trucker, Power zone | 1 | SSE/E/ERS | 4 Nos. | 20-07-2022 | GeM |
| 73 | 93225341100388 d t.21-JUN-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHAP | 9000 | Side Table for accessories size 900X400X750 with minimum 2 bottom storage.material wood/particle board/steel .Warranty minimum 1 year Make Brand HIFURN SIDE TABLE FOR ACCESSORIES ,SIZE LENGTH 900MM X | 1 | DRM/G TVC | 1 Nos. | 21-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|-------------------|----------|------------|------------|
| 74 | 93225357100389 d t.21-JUN-22 on M/s.INDUSTRIAL POWER CONTROLS JPR-JAIPUR | 28320 | INDUSTRIAL VACUUM CLEANER FOR WET AND DRY APPLICATION WITH SUITABLE SIMILAR TO KARCHER MODEL NO. NT 22/1 AP L . MAKE: KARCHER/ROOTS/EUREKHA FORBES/BOSCH ONLY. Make Brand | 1 | SSE/MEMU SHED/QLN | 1 Nos. | 21-07-2022 | IREPS |
| 75 | 93225421100390 d t.21-JUN-22 on M/s.KUMRA ELECTRIC STORE- KAPURTHALA | 658440 | HRC fuse DIN type LHB AC coaches, current rating 125 Amps, voltage rating 1000 volts, breaking capacity 80 KA, Size NH1L,Category gB, Dimension similar to SIBA Catalog no.2028003.125, suitable for fit | 1 | SE/ELE/KCVL | 200 Nos. | 21-08-2022 | IREPS |
| 76 | 93225425100391 d t.22-JUN-22 on M/s.SHANSEN ENNTERPRISES- COIMBATORE | 166990.1 | Fully charged Lead Acid Diesel Locomotive starter Batteries of 24 V,290AH capacity (Consisting of 03 nos. 8 V,290AH,battery ,Size-Length =715 mm,width=210 mm,Height=455 mm),as per IS:7624-1990 Assemb | 1 | SSE/OHE/KYJ | 1 Nos. | 22-07-2022 | IREPS |
| 77 | 93225418100392 d t.22-JUN-22 on M/s.MARINE AND ALLIED ENGINEERING CO- CHENNAI | 18238.08 | Steel sling with eye on both ends(1/2 inch)12mm dia 1 mtr long .Tensile strength 175 Kg/Sq.mm.Load test certificate from firm to be submitted with the supply Make Brand OUR OWN MAKE THE SUBJECT ITEM | 1 | SSE/OHE/KZK | 56 Nos. | 22-07-2022 | IREPS |
| 78 | 93225426100393 d t.22-JUN-22 on M/s.ASIAN SALES CORPORATION- NASHIK | 88150.72 | Magnetic Drilling Machine 1150watt,230 V AC,Stroke 160nm,weight 13 kg,Core drilling 50mm dia,Core drilling depth 55mm,Twist drill 18mm dia .Product specification should match minimum with specificati | 1 | SSE/OHE/KYJ | 2 Nos. | 22-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|--|-------|-------------|---------|------------|------------|
| 79 | 93225390100394 d t.22-JUN-22 on M/s.E FOCUS INSTRUMENTS INDIA PRIVATE LIMITED-CHENNAI | 24081.92 | Smart Battery Pack for FLUKE Thermal Imaging Device Ti32S Make: FLUKE ONLY Model : Ti SBP3 Make Brand Fluke TISBP3 - 85075000 | 1 | TRD/PSI/ERS | 1 Nos. | 22-07-2022 | IREPS |
| 80 | 93225380200395 d t.22-JUN-22 on M/s.LEELA ELECTRICALS, Alapuzha | 41610 | 12v 150AhLead-Acid Storage Batteries for Motor Vehicles conforming to IS:7372/1995 with 2years warranty. Documents submitted at the time of item delivery Material of container is Polypropylene.Prefera | 1 | SSE/E/KTYM | 3 Nos. | 21-07-2022 | GeM |
| 81 | 93225378200396 d t.22-JUN-22 on M/s.NATIONAL INDUSTRIES, DWARKA | 70800 | Cash Counting Machine : (1)Feed Mechanisam- Friction Type (2). Model Varikant-Desktop Type, (3). Suitability for currency-Indian Currency, (4) Type of Notes-Loose (5) Operation Mode Auto Mode, Manual | 1 | DRM/C/TVC | 12 Nos. | 21-07-2022 | GeM |
| 82 | 93225384200397 d t.22-JUN-22 on M/s.PLAZA WIRES LIMITED, DELHI | 40645 | 2.5 Sq mm 3core flat submersible copper cable, Category of Cable-FR, PVC insulated and sheathed Conductor material as per Cl.4.1 of IS: 694:2010 (Complying with IS: 8130:1984 latest) Plain Copper, Gra | 1 | SSE/E/ERS | 500 MTR | 21-07-2022 | GeM |
| 83 | 93225386200398 d t.22-JUN-22 on M/s.TECHMECH ENGINEERS- BANGALORE | 29750 | Moulded Case Circuit Breaker (Mccb] Rated Current 500Amps,Number of poles/Protected poles (PP)-4 Poles,Rated Short circuit capacity (in KA) MCCB with RSCB capacity of 10/16/25/35 KA tripping range, Br | 1 | SSE/E/ERS | 1 Nos. | 21-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|---|-------|---------------|----------|------------|------------|
| 84 | 93225404100399 d t.23-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 383500 | Signal Conditioner Card No: 1 (SCC 1- Part No: 672-1) working on 21 KHZ suitable for CEL Make HASSDAC equipment Model No: 720 P conforming to RDSO Specification No: RDSO/SPN/177/2012 version 3 | 1 | SSE/S/SRM/TVC | 10 Nos. | 24-07-2022 | IREPS |
| 85 | 93225403100400 d t.23-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 153400 | Signal Conditioning Card - SCC.2 for HASSDAC as per RDSO Specification No.RDSO/SPN/177/2012 with version 3 or latest. MAKE/BRAND:Central Electronics Limited, Sahibabad | 1 | SI KTYM | 4 Nos. | 24-07-2022 | IREPS |
| 86 | 93225325100401 d t.23-JUN-22 on M/s.CITY ELECTRICAL CONTRACTORS- THIRUVALLUR | 66080 | PVC sheathed and PVC insulated, 1.0 sq.mm 2 Core multi-strand round flex Copper cable of Grade voltage 1100v with ISI mark as per the IS spec 694/1990. Make- Mynaks,Finolex, Havells, Anchor, V guard | 1 | SSE/E/ERS | 2000 MTR | 24-07-2022 | IREPS |
| 87 | 93225361200402 d t.24-JUN-22 on M/s.VJ INTERIOR PRIVATE LIMITED, DELHI | 39080 | Revolving Chair with arm central tilt.Detailed Specification enclosed in annexure | 1 | SR.DSTE/TVC | 8 Nos. | 22-07-2022 | GeM |
| 88 | 93225385200403 d t.24-JUN-22 on M/s.DYNATECH ENGINEERS, INDORE | 62500 | Moulded Case Circuit Breakers (Mccb] Rated Current 63Amps,Number of poles/Protected poles (PP)-3 Poles, Rated Short circuit capacity (in KA) MCCB with RSCB capacity of 10/16/25 KA tripping range, Brea | 1 | SSE/E/ERS | 20 Nos. | 22-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|--|-------|---------------|----------|------------|------------|
| 89 | 93225411100404 d t.24-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 247210 | Reset Box RB 259A for HASSDAC as per RDSO Specn.No.RDSO/SPN/177/2012 ver. 3 or latest. MAKE/BRAND:Central Electronics Limited, Sahibabad,Reset Box RB 259A suitable for CEL Make HASSDAC equipment Model | 1 | SI KTYM | 5 Nos. | 25-07-2022 | IREPS |
| 90 | 93225406100405 d t.24-JUN-22 on M/s.GAINWELL AGENCIES-NEW DELHI | 346094 | Reset Box (Part No: RB 259 A) working on 21 KHZ suitable for CEL Make HASSDAC equipment Model No: 720 P conforming to RDSO Specification No: RDSO/SPN/177/2012 version 3 or latest. MAKE/BRAND | 1 | SSE/S/SRM/TVC | 7 Nos. | 25-07-2022 | IREPS |
| 91 | 93225383200406 d t.24-JUN-22 on M/s.VIKAS AGENCIES-BHOPAL | 32000 | Miniature circuit breaker- Rated Current 20 Amps, 2pole with two Protected pole [2pp] ,Instantaneous Tripping Range C ,Rated Voltage (Volt) 415 Volt. Braking capacity-10 kA, as per IS/IEC 60898-1:2002 | 1 | SSE/E/ERS | 100 Nos. | 22-07-2022 | GeM |
| 92 | 93225382200407 d t.24-JUN-22 on M/s.TECHNO METERS AND ELECTRONICS,, COIMBATORE | 47000 | AC Kilo Watt Hour meter [KWH] having following features 2 wire, 240vAc single phase, Accuracy class 1, Basic current 5 amps, Max. Current 600%of basic current and with ISI mark.[as per the GEM spec] | 1 | SSE/E/ERS | 100 Nos. | 22-07-2022 | GeM |
| 93 | 93225381200408 d t.24-JUN-22 on M/s.GAURAV HEAVY ENGINEERING INDIA PRIVATE | 40799.52 | LED flood light fitting 200 W made of die cast Aluminium body with mounting bracket, Protection of the entire housing as per IS:10322 (Part 1):1982 latest [IP66 protection], Colour Temp - 6000+/- 500 | 1 | SSE/E/ERS | 8 Nos. | 22-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|---|----------|---|-------|-----------------|----------|------------|------------|
| 94 | 93225415200409 d t.24-JUN-22 on M/s.P R ENTERPRISES, Najafgarh | 17880 | Contactora 4 pole 63 amps [Ac-3 category]working in 415VAc 50Hz supply with a coil voltage of 230volts and add-on contacts 2No+2 Nc ,and DIN rail mounted type as per Standard compliance IEC 60947-4-1 | 1 | SSE/E/ERS | 5 Nos. | 24-07-2022 | GeM |
| 95 | 93225429100410 d t.28-JUN-22 on M/s.TELEREACH- BANGALORE | 240720 | Magnetic Telephone with Electro Dynamic Tranducers Confirming to RDSO with Internal Dry Cell Provision Specn.No.IRS-TC-36/97.(Amendment NO-1) Or Latest Make: Telereach or Similar MAKE/BRAND:TELEREACH | 1 | SSE/TELE/NCJ | 40 Nos. | 29-07-2022 | IREPS |
| 96 | 93225376200411 d t.28-JUN-22 on M/s.M/s.Alfin steel industries,, ERNAKULAM | 58000 | Steel Almirah MS Steel IS:513/2008 size 2000X900X480 MM with minimum 4 shelves with locking arrangement.Warranty minimum 1 year | 1 | DRM/G TVC | 4 Nos. | 23-07-2022 | GeM |
| 97 | 93225373100412 d t.28-JUN-22 on M/s.JAI SHRI AMARNATH ENTERPRISES- DELHI | 1180195 | DOUBLE SIDE OPENABLE DOOR CLOSER AS PER DRAWING NO. ICF/SK 3-5-6-014 ITEM NO.05. make/brand - DORMA, GEZE, YALE, SAMRAT Make / Brand: SAMRAT SMDTS96v | 1 | SR.SE/C&W/KCVL | 150 Nos. | 27-09-2022 | IREPS |
| 98 | 93225286100413 d t.29-JUN-22 on M/s.CHHATTISGAR H COMPUTERS- KORBA | 186824.7 | UPS for computer rating 1 KVA, Technology: MOSFET-PWM, Rated Output (Volt) :230v AC, 50Hz , Degree of protection : IP -21 , Inverter Efficiency >=60% , over load time >= 10min, Load power factor | 1 | SSE/PW(STM)/QLN | 43 Nos. | 30-07-2022 | IREPS |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|--------------|--------|------------|------------|
| 99 | 93225374100414 d t.29-JUN-22 on M/s.BWR OVERSEAS PRIVATE LIMITED-MUMBAI | 678500 | Main Hoist Wire Rope, STAR LIFT D 26 X 470 M RGG Langs lay, 520 KN, 1960N/Sq.mm with accessories for new design 140T Gottwald Crane Specification – JMP/CR-189/03 Alt 6 or latest.WARRANTY 12 MONT | 1 | CWS ERM | 1 Set | 28-09-2022 | IREPS |
| 100 | 93225333100415 d t.29-JUN-22 on M/s.BLESSING TRADERS-TRICHY | 33382.4 | Stationary lead acid battery fully charged 12V, 180Ah Capacity. for starting diesel engines Make/Brand: Amaron/Exide Xpress/SF/Panasonic. To be supplied in fully charged condition Make Brand - EXIDE X | 1 | SE/OHE/ERS | 2 Nos. | 29-07-2022 | IREPS |
| 101 | 93225337100416 d t.29-JUN-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHAP | 37000.08 | OFFICE EXECUTIVE WOODEN TABLE MODEL NO.KWT.074 WITH 12 MM THICK TABLE TOP GLASS WITH FOUR SIDE NOSING GLASS SIZE 84"X36" DAMRO MAKE/GODREJ MAKE OR SIMILAR MAKE/BRAND:SUPREME,EXECUTIVE | 1 | SR.DSTE/TVC | 1 Nos. | 30-07-2022 | IREPS |
| 102 | 93225438200417 d t.29-JUN-22 on M/s.DESIGN FURNITURE,, AHMEDABAD | 33640 | EXECUTIVE REVOLVING CHAIR: 1. It should be revolving type with high back rest and arm rest2. It should be height adjustable type3. It should have stainless steel/aluminium diecast base with 5 wheels o | 1 | SR.DMO/G/TVC | 4 Nos. | 29-07-2022 | GeM |
| 103 | 93225285200418 d t.30-JUN-22 on M/s.MERAKI MARINE MART, THANE | 47250 | Steel Almirah -1855 mm - 5 Shelves Material - MS sheet Conforming to quality grade D of IS: 513/2008 with amend. no.1 (Not as per IS 3312) Material of Almirah Doors - MS sheet Thickness of Locker - 0. | 1 | DEE/TRD/TVC | 3 Nos. | 28-07-2022 | GeM |

| Sr. | P.O. No. and Date | PO Value | Description | POSr. | Consignee | PO Qty | Dely.Dt | IREPS /GeM |
|-----|--|----------|---|-------|------------|---------|------------|------------|
| 104 | 93225482200419 d t.30-JUN-22 on M/s.CYBERKING TECHNOLOGIES PRIVATE LIMITED, ERNAKULAM | 8113.5 | OEM 925 Black Toner Cartridge suitable for the Printer "CANON LBP 6030b". OEM products only will be acceptable. | 1 | AMM/DP/TVC | 2 Nos. | 13-07-2022 | GeM |
| 105 | 93225417200420 d t.30-JUN-22 on M/s.THE JASMINE PEARL-NEW DELHI | 46326 | Office chair with out castors height 890MM, seat width 450MM, depth 430MM, chair type: with arms, Arm material: Wooden Teak, Type of seat and back rest: made of polythene cane. Warranty minimum two ye | 1 | SR.DOM/TVC | 14 Nos. | 30-07-2022 | GeM |