

PO Released from 29/07/2022 to 04/08/2022

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
1	93225434200500 dt.29-JUL-22 on M/s.SK TRADERS, JALANDHAR	237705	Nylon Rain suit shirt with cap and pant. Nylon as per identification of textile fibre to IS 667/1981 RA 2008.Thickness of fabric with gauge is 0.17mm to 0.20mm. Mass of basic fabric is 50 to 60 GSM, m	1	SSE/S/SRM/TVC	345 Nos.	19-08-2022	GeM
2	93225525100501 dt.29-JUL-22 on M/s.VIKASENEE TECHNICAL- CHENNAI	50000	Insulation type nylon for stretcher bar as per spec. no. IRS S-40/84 or latest. One set consists as follows (i) Insulating plate- 1 no (ii) Insulating bush-02 nos, (iii) Insulating washer-04 nos Mak	1	SSE/S/SRM/TVC	2000 Set	29-08-2022	IREPS
3	93225504100502 dt.29-JUL-22 on M/s.MITTAL INDUSTRIES- MUMBAI	14160	Resistance 10 W 100 Ohms (Ceramic Type). RITOHMS or Similar MAKE/BRAND:-MI MAKE	1	SSE/S/SRM/TVC	1000 Nos.	29-08-2022	IREPS
4	93225424100503 dt.29-JUL-22 on M/s.R AND D ASSOCIATES- BANGALORE..	31476.5	Hand held Barcode scanner as per the technical specification attached in Annexure A Make/Brand:-TVS	1	SSE/EX / TVC	5 Nos.	29-08-2022	IREPS
5	93225430100504 dt.29-JUL-22 on M/s.HARE RAMA KRISHNA ENTERPRISES-	69030	Thermal Transfer Desktop Bar code Printer as per the technical specification attached in Annexure A Make/Brand:-TSC TE-244	1	SSE/EX / TVC	5 Nos.	29-08-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
6	93225561100505 dt.29-JUL-22 on M/s.IQNET SYSTEMS- CHENNAI	111982	IR Pyro sensor. Make: IQNET,Model-IQ-PROXI-HA1. with Specification: Temperature range: -50 to 975 %BOC, Optical resolution: 25:1, Spectral range: 8 - 14 pm, System accuracy: +- 1 % or +2	1	SSE/CW/ERS	1 Nos.	29-08-2022	IREPS
7	93225502100506 dt.29-JUL-22 on M/s.VAISHNO ENGINEERING AND TRADERS-	17546.6	Spring in set for KEY LOCK E-Type one set consisting of :- 1) Tumbler spring to Drg No.CWM 02806- 03 Nos 2) Spring for key lock to Drg No.CWM 03106 - 01 Nos (Two items only) Make/Brand:- SELF	1	SSE/S/SRM/TVC	1000 Set	29-08-2022	IREPS
8	93225521100507 dt.01-AUG-22 on M/s.AARAV ENTERPRISES- FARIDABAD	405323.3	RETRO REFLECTIVE ORANGE COLOUR JACKET 150 GSM MADE OF FLUORESCENT UV STABILIZED LIGHT WEIGHT AND WASHABLE TYPE FABRIC AS PER IS 15809 OF 2008 SPECIFIED BY EN 471 WITH 2 INCH	1	SSE/PW(STM)/QLN	2383 Nos.	01-09-2022	IREPS
9	93225534100508 dt.01-AUG-22 on M/s.PALAKKAD SURGICAL INDUSTRIES	620000	SHADOW LESS LAMP FOR OPERATION THEATRE: 1. It should have third generation LED system with color temperature control. 2. It should have aesthetic and advanced touch screen controls offering	1	SR.DMO/G/TVC	1 Nos.	01-10-2022	IREPS
10	93225440100509 dt.02-AUG-22 on M/s.OMKAR ENTERPRISES- THIRUVANANTHA	30576	ISE MODULE REAGENT PACK FOR ERBA FULLY AUTOMATIC BIOCHEMISTRY ANALYZER EM360: SPECIFICATION: IT SHOULD CONTAIN 1. CALIBRANT A:520 ML(Na+, 140.0mmol/L. K+, 4.00 mmol/L. Cl-	1	SR.DMO/G/TVC	1 Nos.	02-09-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
11	93225490100510 dt.02-AUG-22 on M/s.BLESSING TRADERS-TRICHY	10143	COTTON CLOTH GREEN: 1. It should be made of high quality cotton suitable for hospital use. 2. Colour of cloth should be green. 3. Width of cloth should be of atleast 135 cm. 4. It should have mass (g/	1	SR.DMO/G/TVC	140 MTR	02-09-2022	IREPS
12	93225537100511 dt.02-AUG-22 on M/s.GOLECHHA DIAGNOSTICS- CHENNAI	31860	CLEANING SOLUTION FOR ERBA H360 THREE PART HEAMATOLOGY ANALYSER - 50ML PACK SIZE Make/Brand:ERBA	1	SR.DMO/G/TVC	45 Nos.	02-09-2023	IREPS
13	93225537100512 dt.02-AUG-22 on M/s.OMKAR ENTERPRISES- THIRUVANANTHA	36064	DILUENT FOR ERBA H 360THREE PART HEAMATOLOGY ANALYSER -20LITER PACK Make/Brand:ERBA	1	SR.DMO/G/TVC	14 Nos.	02-09-2023	IREPS
14	93225446100513 dt.02-AUG-22 on M/s.AVIASHNEE INDIA PRIVATE LIMITED-WEST	6216	ENVELOPES FOR X-RAY FILMS OF SIZE 10 X 12 INCHES WITH PRINTING AS PER FORMAT ENCLOSED: 1. The size of envelope should be 250 x 300mm (10 X 12 inches) capable of holding X-ray films of size 8 x 10 inch	1	SR.DMO/G/TVC	10 HDS	02-09-2022	IREPS
15	93225518100514 dt.02-AUG-22 on M/s.EVERSHINE INDUSTRIAL CORPORATION-	445190.4	Mechanical Track Jack simplex lever operation type, Double acting 15 ton cap. with operating ratchet type with operating lever should be double acting trip lowring with following spe-1 foot lift 70 mm	1	SSE/PW(STM)/QLN	48 Nos.	02-09-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
16	93225528100515 dt.02-AUG-22 on M/s.INTERNATIO NAL MOTORS- KOLKATA	31889.5	Universal type come along clamp(MS Steel body)suitable for copper conductor of size 65 to 150 Sqmm.Come along clamp body MS:IS:226/2062 jaw for come along clamp MS:IS:2062 with hardness load capacity	1	SSE/TRD/TCR	13 Nos.	01-09-2022	IREPS
			Universal type come along clamp(MS Steel body)suitable for copper conductor of size 65 to 150 Sqmm.Come along clamp body MS:IS:226/2062 jaw for come along clamp MS:IS:2062 with hardness load capacity	2	SE/TRD/OHE/QLN	10 Nos.	01-09-2022	
17	93225500100516 dt.02-AUG-22 on M/s.SUJAL EXIM INDIA PVT LTD- SAHA AMBALA	1357944	Inside Dustbin, as per Drawing No.MI006489 Alt-a with cut out at top centre of back sheet(item-4) Size 100X100mm along with SS wire rope arrangement with covering of protective	1	SR.SE/C&W/KCVL	700 Nos.	01-11-2022	IREPS
18	93225454100517 dt.02-AUG-22 on M/s.SAFEWELL INDUSTRIES- KOLKATA	1983722	Leather Safety Shoe as per IS Specification IS: 15298(Part2)2	1	SSE/PW(STM)/QLN	2242 Pairs	01-11-2022	IREPS
19	93225541100518 dt.02-AUG-22 on M/s.POWER EQUIPMENT CO.- HOWRAH	42627.5	Rail Jumber with both end clamps with 16 SQ.MM copper cable 14 Meter long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.Power/584 or RE/33/P/500 approved by Indian Railway.Copy of the	1	SE/OHE/ERS	17 Nos.	01-09-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
20	93225493100519 dt.02-AUG-22 on M/s.NED ENERGY LIMITED- MEDCHAL	777600	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS (STACKABLE), IN COMBINATION OF 55+5 CELLS FOR SMPS BASED INTEGRATED POWER SUPPLY SYSTEM, EACH CELL OF 2 VOLT/200 AH	1	SSE/S/SRM/TVC	3 Set	02-10-2022	IREPS
21	93225503100520 dt.02-AUG-22 on M/s.GAINWELL AGENCIES-NEW DELHI	106672	Transmitter Coil (Part No: AD-711) working on 21/23 KHZ suitable for CEL Make HASSDAC equipment Model No: 720 P conforming to RDSO Specification No: RDSO/SPN/177/2012 version 3 or latest.	1	SSE/S/SRM/TVC	8 Nos.	02-09-2022	IREPS
22	93225451100521 dt.02-AUG-22 on M/s.MARUTI ENTERPRISES- BHOPAL	127912	Smart phone with specification as described in Annexure -A Make/Brand: Samsung Model A13 (4/128 GB) Product is guaranteed for 12 months against defective workmanship as per OEM's	1	SSE/T/WL/TVC	8 Nos.	02-09-2022	IREPS
23	93225491200522 dt.02-AUG-22 on M/s.M/s.Omkare swar Enterprises, KANPUR NAGAR	144000	Glyphosate 41% Round up 20 Ltr Capacity tin	1	SSE/PWAY/MVLK	400 LTR	28-08-2022	GeM
24	93225529200523 dt.03-AUG-22 on M/s.POPULAR MART, WEST DELHI	73036	VISITORS CHAIR: 1. Frame material should be ERW pipe/MS or similar2. The arms should be covered with cushion made of PU/polypropylene in metal.3. Material of Seat and backrest should be covered with c	1	SR.DMO/G/TVC	19 Nos.	02-09-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
25	93225543200524 dt.03-AUG-22 on M/s.TRANSASIA BIO-MEDICALS LIMITED,	21618.6	SERUM LDL CHOLESTEROL REAGENT- ERBA XL SYSTEM PACK OF SIZE 2X30 / 2X10 ML	1	SR.DMO/G/TVC	548 Nos.	02-09-2022	GeM
26	93225538100525 dt.03-AUG-22 on M/s.S.S.T. ENGINEERS AND TRADERS-N.I.T	20178	Rail jumper with both end clamps with 16 SQ.MM copper cable 3 mtrs long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.POWER/584 or RE/33/P/500 approved by Indian Railways.Copy of the	1	SE/OHE/ERS	18 Nos.	02-09-2022	IREPS
27	93225538100526 dt.03-AUG-22 on M/s.POWER EQUIPMENT CO.- HOWRAH	12850.2	Rail jumper with both end clamps with 16 SQ.MM copper cable 6 mtrs long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.POWER/584 or RE/33/P/500 approved by Indian Railways.Copy of the	1	SE/OHE/ERS	9 Nos.	02-09-2022	IREPS
28	93225545100527 dt.03-AUG-22 on M/s.MAHENDRA CHEMICAL WORKS-KOLKATA	406350	GRAPHITE POWDER GRADE-II 20% ASH CONTENT FOR USE AS FOUNDRY FACING MATERIAL TO SPECN. NO.IS.1305/ GRADE II/1967 OR LATEST. Make/Brand: NATRAJ. PACKED IN 25-40 KGS. DOUBLE HDPE/poly	1	SSE/PW(STM)/QLN	6000 Kgs.	03-09-2022	IREPS
29	93225512100528 dt.04-AUG-22 on M/s.APEX ENTERPRISE- MUMBAI.	9363.36	Toner cartridge for Thoshiba make photo copier machine (2309P) Toner Thoshiba T- 2309P Make/Brand:-Toshiba Original Make	1	SR.DSTE/TVC	5 Nos.	04-09-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	SI	Consignee	PO Qty	Dely.Dt	IREPS /GeM
-----	-------------------	----------	-------------	----	-----------	--------	---------	------------

GeM	4	4,76,360
IREPS	25	67,56,676
TOTAL	29	72,33,036