

AUGUST 2022 PURCHASE ORDERS

Sr.	P.O. No. and Date	PO Value	Description	PO Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
1	93225521100507 dt.01-AUG-22 on M/s.AARAV ENTERPRISES- FARIDABAD	405323.3	RETRO REFLECTIVE ORANGE COLOUR JACKET 150 GSM MADE OF FLUORESCENT UV STABILIZED LIGHT WEIGHT AND WASHABLE TYPE FABRIC AS PER IS 15809 OF 2008 SPECIFIED BY EN 471 WITH 2	1	SSE/PW(STM)/QLN	2383 Nos.	01-09-2022	IREPS
2	93225534100508 dt.01-AUG-22 on M/s.PALAKKAD SURGICAL INDUSTRIES PRIVATE LIMITED- PALAKKAD	620000	SHADOW LESS LAMP FOR OPERATION THEATRE: 1. It should have third generation LED system with color temperature control. 2. It should have aesthetic and advanced touch screen controls	1	SR.DMO/G/TVC	1 Nos.	01-10-2022	IREPS
3	93225440100509 dt.02-AUG-22 on M/s.OMKAR ENTERPRISES- THIRUVANANTHAPURAM	30576	ISE MODULE REAGENT PACK FOR ERBA FULLY AUTOMATIC BIOCHEMISTRY ANALYZER EM360: SPECIFICATION: IT SHOULD CONTAIN 1. CALIBRANT A:520 ML(Na+, 140.0mmol/L. K+, 4.00	1	SR.DMO/G/TVC	1 Nos.	02-09-2022	IREPS
4	93225490100510 dt.02-AUG-22 on M/s.BLESSING TRADERS- TRICHY	10143	COTTON CLOTH GREEN: 1. It should be made of high quality cotton suitable for hospital use. 2. Colour of cloth should be green. 3. Width of cloth should be of atleast 135 cm. 4. It should have mass (g/	1	SR.DMO/G/TVC	140 MTR	02-09-2022	IREPS
5	93225537100511 dt.02-AUG-22 on M/s.GOLECHHA DIAGNOSTICS-CHENNAI	31860	CLEANING SOLUTION FOR ERBA H360 THREE PART HEAMATOLOGY ANALYSER -50ML PACK SIZE Make/Brand:ERBA	1	SR.DMO/G/TVC	45 Nos.	02-09-2023	IREPS

6	93225537100512 dt.02-AUG-22 on M/s.OMKAR ENTERPRISES- THIRUVANANTHAPURAM	36064	DILUENT FOR ERBA H 360THREE PART HEAMATOLOGY ANALYSER - 20LITER PACK Make/Brand:ERBA	1	SR.DMO/G/TVC	14 Nos.	02-09-2023	IREPS
7	93225446100513 dt.02-AUG-22 on M/s.AVIASHNEE INDIA PRIVATE LIMITED-WEST DELHI	6216	ENVELOPES FOR X-RAY FILMS OF SIZE 10 X 12 INCHES WITH PRINTING AS PER FORMAT ENCLOSED: 1. The size of envelope should be 250 x 300mm (10 X 12 inches) capable of holding X-ray	1	SR.DMO/G/TVC	10 HDS	02-09-2022	IREPS
8	93225518100514 dt.02-AUG-22 on M/s.EVERSHINE INDUSTRIAL CORPORATION-CHENNAI	445190.4	Mechanical Track Jack simplex lever operation type, Double acting 15 ton cap. with operating ratchet type with operating lever should be double acting trip lowring with following spe-1 foot lift 70 mm	1	SSE/PW(STM)/QLN	48 Nos.	02-09-2022	IREPS
9	93225528100515 dt.02-AUG-22 on M/s.INTERNATIONAL MOTORS-KOLKATA	31889.5	Universal type come along clamp(MS Steel body)suitable for copper conductor of size 65 to 150 Sqmm.Come along clamp body MS:IS:226/2062 jaw for come along clamp MS:IS:2062 with hardness	1	SSE/TRD/TCR	13 Nos.	01-09-2022	IREPS
			Universal type come along clamp(MS Steel body)suitable for copper conductor of size 65 to 150 Sqmm.Come along clamp body MS:IS:226/2062 jaw for come along clamp MS:IS:2062 with hardness	2	SE/TRD/OHE/QLN	10 Nos.	01-09-2022	

10	93225500100516 dt.02-AUG-22 on M/s.SUJAL EXIM INDIA PVT LTD-SAHA AMBALA	1357944	Inside Dustbin, as per Drawing No.MI006489 Alt-a with cut out at top centre of back sheet(item-4) Size 100X100mm along with SS wire rope arrangement with covering of protective layer as per	1	SR.SE/C&W/KCVL	700 Nos.	01-11-2022	IREPS
11	93225454100517 dt.02-AUG-22 on M/s.SAFEWELL INDUSTRIES- KOLKATA	1983722	Leather Safety Shoe as per IS Specification IS: 15298(Part2)2	1	SSE/PW(STM)/QLN	2242 Pairs	01-11-2022	IREPS
12	93225541100518 dt.02-AUG-22 on M/s.POWER EQUIPMENT CO.- HOWRAH	42627.5	Rail Jumber with both end clamps with 16 SQ.MM copper cable 14 Meter long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.Power/584 or RE/33/P/500 approved by Indian Railway.Copy of	1	SE/OHE/ERS	17 Nos.	01-09-2022	IREPS
13	93225493100519 dt.02-AUG-22 on M/s.NED ENERGY LIMITED- MEDCHAL	777600	SEALED MAINTENANCE FREE VRLA BATTERY SET OF 60 CELLS (STACKABLE), IN COMBINATION OF 55+5 CELLS FOR SMPS BASED INTEGRATED POWER SUPPLY SYSTEM, EACH CELL OF 2 VOLT/200	1	SSE/S/SRM/TVC	3 Set	02-10-2022	IREPS
14	93225503100520 dt.02-AUG-22 on M/s.GAINWELL AGENCIES- NEW DELHI	106672	Transmitter Coil (Part No: AD-711) working on 21/23 KHZ suitable for CEL Make HASSDAC equipment Model No: 720 P conforming to RDSO Specification No: RDSO/SPN/177/2012 version 3 or	1	SSE/S/SRM/TVC	8 Nos.	02-09-2022	IREPS

15	93225451100521 dt.02-AUG-22 on M/s.MARUTI ENTERPRISES- BHOPAL	127912	Smart phone with specification as described in Annexure -A Make/Brand: Samsung Model A13 (4/128 GB) Product is guaranteed for 12 months against defective workmanship as per OEM's	1	SSE/T/WL/TVC	8 Nos.	02-09-2022	IREPS
16	93225491200522 dt.02-AUG-22 on M/s.M/s.Omkareswar Enterprises, KANPUR NAGAR	144000	Glyphosate 41% Round up 20 Ltr Capacity tin	1	SSE/PWAY/MVLK	400 LTR	28-08-2022	GeM
17	93225529200523 dt.03-AUG-22 on M/s.POPULAR MART, WEST DELHI	73036	VISITORS CHAIR: 1. Frame material should be ERW pipe/MS or similar2. The arms should be covered with cushion made of PU/polypropylene in metal.3. Material of Seat and backrest should be covered with c	1	SR.DMO/G/TVC	19 Nos.	02-09-2022	GeM
18	93225543200524 dt.03-AUG-22 on M/s.TRANSASIA BIO- MEDICALS LIMITED, MUMBAI	21618.6	SERUM LDL CHOLESTEROL REAGENT- ERBA XL SYSTEM PACK OF SIZE 2X30 / 2X10 ML	1	SR.DMO/G/TVC	548 Nos.	02-09-2022	GeM
19	93225538100525 dt.03-AUG-22 on M/s.S.S.T. ENGINEERS AND TRADERS-N.I.T FARIDABAD	20178	Rail jumper with both end clamps with 16 SQ.MM copper cable 3 mtrs long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.POWER/584 or RE/33/P/500 approved by Indian	1	SE/OHE/ERS	18 Nos.	02-09-2022	IREPS

20	93225538100526 dt.03-AUG-22 on M/s.POWER EQUIPMENT CO.- HOWRAH	12850.2	Rail jumper with both end clamps with 16 SQ.MM copper cable 6 mtrs long as per Drg.No.RE/DNR/EL/TP/07 or Drg.No.POWER/584 or RE/33/P/500 approved by Indian	1	SE/OHE/ERS	9 Nos.	02-09-2022	IREPS
21	93225545100527 dt.03-AUG-22 on M/s.MAHENDRA CHEMICAL WORKS-KOLKATA	406350	GRAPHITE POWDER GRADE-II 20% ASH CONTENT FOR USE AS FOUNDRY FACING MATERIAL TO SPECN. NO.IS.1305/ GRADE II/1967 OR LATEST. Make/Brand: NATRAJ. PACKED IN 25-40 KGS. DOUBLE	1	SSE/PW(STM)/QLN	6000 Kgs.	03-09-2022	IREPS
22	93225512100528 dt.04-AUG-22 on M/s.APEX ENTERPRISE- MUMBAI.	9363.36	Toner cartridge for Thoshiba make photo copier machine (2309P) Toner Thoshiba T- 2309P Make/Brand:-Toshiba Original Make	1	SR.DSTE/TVC	5 Nos.	04-09-2022	IREPS
23	93225499100529 dt.05-AUG-22 on M/s.SECURE CODE SYSTEMS- CHENNAI	1156400	HAND HELD MINI PRINTER.PROCESSOR 32 BIT HIGH PERFORMANCE PROCESSOR . PRINT METHOD DIRECT THERMAL RESOLUTION: MINIMUM 203 DPI/8 DOTS PER MM PRINT SPEED:	1	DRM/C/TVC	20 Nos.	05-10-2022	IREPS
24	93225558100530 dt.05-AUG-22 on M/s.AARJAY FIRE EQUIPMENTS PRIVATE LIMITED- NORTH WEST DELHI	1364080	Supply and installation of ABC type fire extinguisher with anti-theft arrangement in Non-AC coaches. Fire extinguisher should be as per specification MDTS 46270 Rev-0 amendment on 24.6.2019 for para	1	SR.SE/C&W/KCVL	800 Nos.	20-10-2022	IREPS

25	93225581200531 dt.09-AUG-22 on M/s.M/s.Shanaya traders,, DELHI.	261565.2	National Flag polyester of Size 900 mm X 600 mm	1	SR.DPO/TVC	8748 Nos.	08-08-2022	GeM
26	93225458200532 dt.10-AUG-22 on M/s.VA INFOSOLUTIONS INDIA PRIVATE LIMITED, Peeragarhi	62615	32 inch LED Television as per the technical specification attached in Annexure A	1	SSE/EX / TVC	5 Nos.	01-09-2022	GeM
27	93225550100533 dt.10-AUG-22 on M/s.G.D.SEIGELL AND CO.PVT.LTD.-DELHI	119096.2	Pull lift (Ratchet Lever Hoist)Complete with roller chain hook and safety latchet 0.8 Tonne capacity as per RDSO Specn.No:TI/SPC/OHE/TOOLPL/199 0 with A&C slip no.1 or latest.Load	1	SSE/TRD/OHE/CKI	17 Nos.	09-09-2022	IREPS
28	93225533200534 dt.11-AUG-22 on M/s.PRATYADHI ENTERPRISES,, BETUL	28878	12V 150AH HEAVY DUTY LEAD ACID BATTERY FOR DEPARTMENTAL VEHICLE	1	SSE/CW/ERM/CD	2 Nos.	04-09-2022	GeM
29	93225475200535 dt.11-AUG-22 on M/s.VA INFOSOLUTIONS INDIA PRIVATE LIMITED, Peeragarhi	159292	Professional large format smart 4K LED display 55 inch, Resolution 3840 x 2160 (UHD) or latest including all fixing accessories port HDMI /USB/LAN with on side OEM warranty 5 years.(Detailed specific	1	SSE/S/SRM/TVC	4 Nos.	03-11-2022	GeM

30	93225548200536 dt.12-AUG-22 on M/s.R B SALES, RANCHI	4576	Line interactive UPS 600VA suitable for computers and for single phase AC 160V to 280V input- Minimum backup: 20 Minutes.(Warranty is mandatory)	1	DRM/G TVC	2 Nos.	09-09-2022	GeM
31	93225559100537 dt.12-AUG-22 on M/s.PRABHATI ENGINEERING WORKS-KOLKATA	87084	COMPENSATING RING FOR AXLE BOX GUIDE ARRANGEMENT TO DRG NO.T-0-1-621, ALT-c/2. MAKE/BRAND:-SELF	1	SSE/C AND W/TVC	600 Nos.	12-09-2022	IREPS
32	93225570100538 dt.12-AUG-22 on M/s.ELECTRO PLASMA EQUIPMENTS PVT. LTD.- MUMBAI	55106	Spare parts for Electro Plasma make Air plasma cutting machine 1. Hand Torch with Handle: 3 No.s 2. Electrode holder with contact tube:20 No.s Annexure attached Make/Brand:-EPE	1	SSE/C AND W/TVC	1 Set	12-09-2022	IREPS
33	93225546200539 dt.12-AUG-22 on M/s.POPULAR MART, WEST DELHI	34888	Specifications of Executive High Back Revolving Chair MATERIAL Pedestal Base- Wooden Cladded with Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter Arm Material -Steel Covered with	1	ADMO QLN	2 Nos.	11-09-2022	GeM
34	93225551200540 dt.12-AUG-22 on M/s.QAEXPLORE EQUIPMENT PVT LTD-GANDHINAGAR	7200	SURGEON'S FACE MASK WITH ADJUSTABLE NOSE CLIP, TRIPLE LAYERED WITH BACTERIA FILTER , SPECIFICATIONS 1 GSM OF fabric (G/m2) -802 No of Layer -3 3Bacterial filtration efficiency -	1	SR.DMO/G/TVC	12000 Nos	11-09-2022	GeM

35	93225511200541 dt.12-AUG-22 on M/s.TORCHTAR MEMBRANES & BITUMEN PRODUCTS PRIVATE LIMITED, DELHI	78750	POTSEAL Crushed mineral Ready made Bituminous pothole patching mix	1	SSE/PWAY/PVRD	3750 Kgs.	03-09-2022	GeM
36	93225572200542 dt.12-AUG-22 on M/s.BHARAT STATIONERY MART-THANE	70000	EPSON LX-310 OEM Ribbon Cartridge Length 18Mtr EPSON (T13S01506) Make/Brand with Original	1	DRM/C/TVC	500 Nos.	10-09-2022	GeM
37	93225556100543 dt.12-AUG-22 on M/s.BHAWANI ENGINEERING ENTERPRISE-HOWRAH	77880	Galvanized Tapered Washer (50mm x 50mm x 8mm x 4mm) for Guard Rail as per RLY DRG No. T-5162. Make/Brand:NIL	1	SSE/PWAY/PVRD	4000 Nos.	12-09-2022	IREPS
38	93225567200544 dt.12-AUG-22 on M/s.J4 ENTERPRISES, KRISHNA DISTRICT	63260	WATER HEATER GAYSER OF CAPACITY 10 LITERS, SUITABLE FOR WORKING IN 230 VOLT 50 HZ AC SUPPLY WITH STAINLESS STEEL INNER TANK WITH CRC MATERIAL OF OUTER CONTAINER, WITH ISI	1	SSE/E/P/TVC	10 Nos.	11-09-2022	GeM
39	93225536200545 dt.12-AUG-22 on M/s.M/s.NEENU TECH PRIVATE LIMITED,, Delhi	77500	Type of lamp-Tri color LED, Lamp life after charging 8hrs.Wattage of lamp:3. Type of battery: lithium ion. Battery capacity:2. Type of front glass: Toughened, scratch resistance. Gross weight:1.8 kg (1	SR.DOM/TVC	100 Nos.	09-09-2022	GeM

40	93225553100546 dt.16-AUG-22 on M/s.POWER EQUIPMENT CO.- HOWRAH	110330	Operating rod (Pole) for 25 KV drop out fuse switch as per RDSO Spg.No.ETI/PSI/14(1/86) Rev.1(April 87) or latest Make Brand -PEC & CORE APPV DRG NO. POWER/RLY/1849. HSN CODE:	1	SE/PSI/PRND	1 Nos.	15-10-2022	IREPS
			Operating rod (Pole) for 25 KV drop out fuse switch as per RDSO Spg.No.ETI/PSI/14(1/86) Rev.1(April 87) or latest Make Brand -PEC & CORE APPV DRG NO. POWER/RLY/1849.HSN CODE:	2	SE/PSI/PRND	9 Nos.	15-10-2022	
			Operating rod (Pole) for 25 KV drop out fuse switch as per RDSO Spg.No.ETI/PSI/14(1/86) Rev.1(April 87) or latest Make Brand-PEC & CORE APPV DRG NO. POWER/RLY/1849.HSN CODE:	3	SE/PSI/PRND	7 Nos.	15-10-2022	
41	93225557100547 dt.16-AUG-22 on M/s.KAVERI ENAMEL AND ALLIED INDUSTRIES-BANGALORE	21830	Staff Warning board(General Caution Notice Board) vitreous enamled in Trilingual in the languages Tamil,Hindi,&English in order as per Drg.No.RE/33/P/7561 Rev.B or Latest..Size 750X500X1	1	SSE/OHE/TRD/NCJ	20 Nos.	15-09-2022	IREPS
42	93225531100548 dt.16-AUG-22 on M/s.WESVY ELECTRICALS PRIVATE LIMITED-HOWRAH	312700	RELAY DC NON-AC IMMUNIZED, PLUG IN TYPE STYLE QN1 NEUTRAL LINE 24 V DC 8F 8B CONTACTS FRONT & BACK CONTACTS METAL TO CARBON COMPLETE WITH PLUG BOARD RETAINING CLIP AND	1	SSE/S/SRM/TVC	100 Nos.	15-11-2022	IREPS

43	93225531100549 dt.16-AUG-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI.	1274400	RELAY DC NON-AC IMMUNIZED, PLUG IN TYPE STYLE QN1 NEUTRAL LINE 24 V DC 8F 8B CONTACTS FRONT & BACK CONTACTS METAL TO CARBON COMPLETE WITH PLUG BOARD RETAINING CLIP AND	1	SSE/S/SRM/TVC	400 Nos.	15-11-2022	IREPS
44	93225532100550 dt.17-AUG-22 on M/s.CG POWER AND INDUSTRIAL SOLUTIONS LIMITED- MUMBAI.	2240112	Relay AC Immune plug in type style QNA1 DC Neutral line 24V , 8F-8B contacts front and Back contacts metal to carbon with plug Board retaining clip and connectors confirming to BRS:931A, IRS:S:60,	1	SSE/S/SRM/TVC	678 Nos.	16-11-2022	IREPS
45	93225576100551 dt.19-AUG-22 on M/s.HARIRAM CONSTRUCTION COMPANY- BIKANER	2911303	Supply and installation (Construction) of OSOP (One Station One Product) sale outlets/ Kiosks as per the given detailed specifications and drawings. A steel stool of size 18" with 16" wooden	1	DRM/C/TVC	6 Nos.	10-09-2022	IREPS
46	93225577100552 dt.19-AUG-22 on M/s.HARIRAM CONSTRUCTION COMPANY- BIKANER	2911303	Supply and installation (Construction) of OSOP (One Station One Product) sale outlets/ Kiosks as per the given detailed specifications and drawings. A steel stool of size 18" with 16" wooden	1	DRM/C/TVC	6 Nos.	10-09-2022	IREPS
47	93225563100553 dt.19-AUG-22	164138	Earth discharge rod Assembly for 25 KV AC traction with 3 resin bonded glass fibre pole of equal length to be supplied along with two rail clamps top clamp(10mm to 20mm dia conductor)and cable 9	1	SE/TRD/OHE/QLN	11 Nos.	18-09-2022	IREPS

47	on M/s.SDEE UDYOG-HOWRAH		Earth discharge rod Assembly for 25 KV AC traction with 3 resin bonded glass fibre pole of equal length to be supplied along with two rail clamps top clamp(10mm to 20mm dia conductor)and cable 9	2	SE/TRD/OHE/QLN	2 Nos.	18-09-2022	IREPS
48	93225530100554 dt.19-AUG-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHAPURAM	32000.04	Office chair wooden with arm. Type of Material used in polythene cane chair: teak wood, Frame material: wood, Material of Fabric of seat cover: Knitted with cane Chair height 950MM, seat width 500MM,	1	SR.DOM/TVC	4 Nos.	18-09-2022	IREPS
49	93225586100555 dt.22-AUG-22 on M/s.PREMIER ELECTRIC CO-CHENNAI	167654.4	PVC INSULATED ALUMINIUM CABLE, UNARMoured, SINGLE CORE 35SQMM,MULTI STRANDED,CONFORMING TO IS 1554 (PART 1) 1998 REAFFIRMED 2015,VOLTAGE RATING 1100V	1	SSE/EW/TVC	2560 MTR	22-09-2022	IREPS
50	93225517100556 dt.22-AUG-22 on M/s.SRI DURGA BEARINGS AND ELECTRICALS-TRICHY	103781	MOTOR PROTECTION CIRCUIT BREAKER (OVERLOAD RELEASE RANGE 45-63 AMP AT 415V, 50HZ) OF STAR -DELTA STARTER FOR RADIATOR FAN MOTOR FITTED IN LHB TYPE POWER CAR AS PER PART	1	SE/ELE/KCVL	10 Nos.	22-09-2022	IREPS
51	93225573100557 dt.22-AUG-22 on M/s.POWER CRAFTS AND SPARES-BANGALORE	75756	AUTOMATIC VOLTAGE REGULATOR SUITABLE FOR STAMFORD MAKE ALTERNATOR FOR RAILWAYS GENERATOR CAR APPLICATION. MODEL HCI 534E2, 500KVA, 750 VOLT, 385 AMPS, 1500 RPM, AVR	1	SR EF/TL TVC	2 Nos.	22-09-2022	IREPS

52	93225560100558 dt.22-AUG-22 on M/s.SHANSEN ENNTERPRISES- COIMBATORE	64900	BRITISH TYPE HIGH VOLTAGE HRC FUSE WITH STRIKER, CURRENT RATING 63A, VOLTAGE 3.6KV AC BREAKING CAPACITY 50KA, SIMILAR TO CAT.NO: 3.6 WDOHS63 OF BUSSMANN .MAKE: BUSSMANN	1	SE/ELE/KCVL	20 Nos.	22-09-2022	IREPS
53	93225552200559 dt.22-AUG-22 on M/s.WACO INSTRUMENTS, KOLKATA	39600	Hand held digital multimeter Technical specificaion Volt DC-0- 1000 Volt, AC 0-1000 Volt RMS ,DC Current-10 to 20 Amps, AC RMS current10 to 20 Amps,Resistance upto 50M Ohm or more	1	SE/PSI/PNPR	18 Nos.	18-09-2022	GeM
54	93225574100560 dt.22-AUG-22 on M/s.ADDSOFT TECHNOLOGIES PRIVATE LIMITED-CUTTACK	128620	CMS Kiosk for Crew Lobby RDSO specification , 2.17 inch Touch screen ,Thin client dual core 1.86 Ghz/4GB DDR3 memory , breath analyser Tayaltech or similar ,Biometric device Secugel or similar	1	CCRC/ERS	1 Nos.	21-09-2022	IREPS
55	93225588100562 dt.22-AUG-22 on M/s.NJR INGENIUM PRIVATE LIMITED-EAST DELHI	157530	4 CORE 50 SQMM LTUG CABLE WITH ALUMINIUM EC GRADE CONDUCTOR , XLPE INSULATED, ISI MARKED, PVC OUTER SHEATHED, GALVANIZED STEEL STRIP ARMOURED, SUITABLE FOR	1	SSE/E/ALLP	500 MTR	22-09-2022	IREPS
56	93225587100563 dt.22-AUG-22 on M/s.YOKINS INSTRUMENTS PVT LTD-DELHI	46610	Analog DC voltmeter size: 72x72mm ,square type , panel mounting range:0-150 V ,accuracy 1.5%,full scale deflection 90 degree as per RDSO spec: RDSO/PE/0184- 2015 REV-O or latest. Approved	1	SE/ELE/KCVL	100 Nos.	22-09-2022	IREPS

57	93225589100564 dt.24-AUG-22 on M/s.SUGI ELECTRONICS LLP- BANGALORE	219480	HRC fuse DIN type LHB AC coaches , current rating 125A , voltage rating 1000V breaking capacity 80KA, size NH1L , category gB , dimensions similar to SIBA catalogue No 2028003.125 suitable for fitment	1	EF/ NCJ	60 Nos.	24-09-2022	IREPS
58	93225540200565 dt.24-AUG-22 on M/s.AN OMAX SURGICAL INDUSTRIES-NEW DELHI	18010	SPECIFICATIONS OF PATIENT STRETCHER TROLLEY Standards Conformity to standards: CE Certification number and dateConformity to Manufacturers quality Standards ISO 900	1	ADMO QLN	1 Nos.	21-09-2022	GeM
59	93225549100566 dt.24-AUG-22 on M/s.KASERA ELECTRICALS PRIVATE LIMITED-KOLKATA	56640	Operating rod insulator for 25KV isolator (R.I No:6260) Confirming to RDSO Specn.No.TI/SPC/OHE/INS/0070(04 /2007) with A&C SLIP NO 1&2 or latest Make Brand -SGEL MAKE	1	SSE/OHE/KYJ	20 Nos.	23-09-2022	IREPS
60	93225592200567 dt.24-AUG-22 on M/s.Yes Celebration, Hanumangarh	20700	LED LAMP 9WATTS, READY TO USE IN BATTEN HOLDER AND SUITABLE TO USE IN VOLTAGE RANGE OF 100 V TO 300 V, 50HZ AC SUPPLY AND WITH 5 YEARS WARRANTY. MAKE: SYSKA, WIPRO,	1	SE/E/P/NCJ	300 Nos.	23-09-2022	GeM
61	93225591200568 dt.24-AUG-22 on M/s.M/s.Legendary Distributors Pvt. Ltd., Ernakulam	293706	Laser Mono Computer Printers: Cartridge Technology : Composite Cartridge, Printing Technology : Laser, Type of Printing : Mono, Paper Size : A4, Print Speed per minute as per ISO/IEC 24734 in (A4)	1	DRM/C/TVC	21 Nos.	23-09-2022	IREPS

62	93225580200569 dt.25-AUG-22 on M/s.CREATIVE ENGINEERS, MUMBAI,	7952	Single integral unit Respiratory Filter- Full Face Maskasper the specification enclosed	1	SSE/CW/ERS	2 Nos.	22-09-2022	GeM
63	93225575200570 dt.25-AUG-22 on M/s.Sharptech AV Designs, Delhi	67058	Laptop computer ,Technical specification attached	1	SSE/C AND W/TVC	1 Nos.	21-11-2022	GeM
64	93225584200571 dt.26-AUG-22 on M/s.LEO STEEL INDUSTRIES, COIMBTORE	137840	Three seater Cushion Chair: Seating capacity (Nos): 3, material of Main Frame: Mild Steel. Material of Seat and Backrest: SS202: cold rolled steel Overall length in mm1700, Overall Length in	1	DRM/C/TVC	10 Nos.	24-09-2022	GeM
65	93225609100572 dt.26-AUG-22 on M/s.A B ELASTO PRODUCTS PRIVATE LIMITED-DHARWAD	481440	MODIFIED ELASTOMERIC PAD DRG.NO.WD-95005/S-1, ALT. 7, SPEC. STR.NO. WD-20-MISC.95 (REV. 3) WITH AMDT. NO.6 OF SEP.16 Make/Brand:ABE,MODIFIED ELASTOMERIC PAD DRG.NO.WD-	1	SSE/C&W/IPN	300 Nos.	26-10-2022	IREPS
66	93225571200573 dt.26-AUG-22 on M/s.PRIYABRAT ENGINEERING WORKS INDIA, INDORE	15900	Steel Filing cabinet drawer type cabinets meant for file storage made of steel only,Size minimum 1300 X475X 600 MM . Number of Drawer minimum 4 with equal size .Wooden/Plastic not	1	DEE/TRD/TVC	1 Nos.	24-09-2022	GeM

67	93225593100574 dt.29-AUG-22 on M/s.ARC TECHNOLOGY AND ENGINEERS-FARIDABAD	1188260	Lavatory Door Latch assembly as per RCF drawing No.LW56537 Make / Brand: arctech	1	SSE/CW/NCJ	3800 Set	13-11-2022	IREPS
68	93225602100575 dt.30-AUG-22 on M/s.BENGAL INFORMATICS PRIVATE LIMITED-KOLKATA..	386284.8	DESKTOP COMPUTERS.PROCESSOR - INTEL CORE i3 SERIES MOTHER BOARD - 1.SHOULD HAVE ATLEAST 2 NOS DDR4 RAM SLOT. 2.SHOULD HAVE AT LEAST 1 PCL E SLOT FOR AUTO CAD/NMS 3.AT LEAST 3	1	DRM/C/TVC	11 Nos.	30-09-2022	IREPS
69	93225603200576 dt.30-AUG-22 on M/s.THE JASMINE PEARL- NEW DELHI	29688	Executive table rectangular 1830 mm X950X750 with gable end modest panel and legs,4 drawers and 1 cupboard , Warranty minimum 1 year	1	DRM/G TVC	1 Nos.	24-09-2022	GeM
70	93225597100577 dt.30-AUG-22 on M/s.JUDESON ENGINEERING SERVICES PRIVATE LIMITED- ERNAKULAM	40530.03	INTERCONNECTING HARNESS PART NO:141190771357 SUITABLE TO CONNECT THE MOTORPAL FIP ACTUATOR(FOR A AND B BANK) WITH MOTORPAL CONTROL CARD IN THE GREAVES MAKE DIESEL	1	SE/ELE/KCVL	4 Nos.	30-09-2022	IREPS
71	93225535100578 dt.30-AUG-22 on M/s.TRANS HEALTH CARE INDIA PRIVATE LIMITED- CHENNAI	1974560	ANAESTHESIA WORKSTATION Make / Brand: Comen AX500 with G3L Monitor	1	SR.DMO/G/TVC	1 Nos.	29-11-2022	IREPS

72	93225614100579 dt.31-AUG-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE LIMITED-HOSUR	462384.2	SET OF OVERHAULING KIT FOR FTIL MAKE AIR DRYER CONSISTING OF 19 ITEMS AS PER THE ANNEXURE ENCLOSED. INSPECTION CLAUSE:- BY RITES Make/Brand:- offer OVERHAULING KIT FOR AIR DRYER	1	SSE/DSL/ERS	9 Set	29-01-2023	IREPS
73	93225578200580 dt.31-AUG-22 on M/s.CENTRAL INSECTICIDES AND FERTILIZERS-JAIPUR	50000	Herbicide Glyphosate 41% in can, Brand: Round up or equal.Technical details to be attached with offer.	1	TRD/PSI/ERS	125 Nos.	29-09-2022	GeM