

## SEPTEMBER 2022 PURCHASE ORDERS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
1	93225579100581 dt.01-SEP-22 on M/s.ANTARIKSH ENTERPRISES- CHENNAI	13452	VACCUTAINER BLOOD COLLECTION PLASTIC TUBE WITH CLOT ACTIVATOR SPECIFICATION:- 1) ADDITIVE USED SHOULD BE CLOT ACTIVATOR WITHOUT SERUM SEPARATION GEL 2)TUBE SIZE SHOULD BE 13X75 MM 3) DRAW VOLUME	1	SR.DMO/G/TVC	1800 Nos.	02-10-2022	IREPS
			VACCUTAINER BLOOD COLLECTION TUBE K2-EDTA SPECIFICATION :- 1) ADDITIVE USED SHOULD BE K2-EDTA 2) TUBE SIZE 13X75 MM 3) DRAW VOILUME OF BLOOD SAMPLE SHOULD BE 3 ML 4) COLOUR OF CAP SHOULD BE PURPLE OR	2	SR.DMO/G/TVC	1200 Nos.	02-10-2022	
2	93225604100582 dt.01-SEP-22 on M/s.WATER AND PUMPING SOLUTIONS- BANGALORE	173457.6	Three Phase squirrel cage induction motor terminal Top mounted , horse power 30 HP power 22 KW, voltage 415 V,+/- 10% frequency 50 Hz , RPM 1470), Duty-SI, IP-55 AMB-50Degree C, Power factor-0.83, Eff	1	SE/ELE/KCVL	2 Nos.	02-10-2022	IREPS
3	93225599100583 dt.01-SEP-22 on M/s.S.INTERNATI ONALS-MUMBAI	122130	13 PIN UIC coupler plug assembly consist of 1.62 MTRS cable and polyamide hose with UIC plug on both ends similar (round) make as per RDSO modification sheet No. RDSO/PE/MS/AC/0051-2011 REV.2 Make: PP	1	EF/ NCJ	15 Nos.	01-11-2022	IREPS
4	93225608100584 dt.01-SEP-22 on M/s.NATIONAL INSTRUMENT INDUSTRIES- AMBALA	209568	200 VA SINGLE PHASE, H CLASS INSULATION, 6KV, 750/415V CONTROL TRANSFORMER DULY FITTED WITH 2A, 1.2 KV FUSE LINK WITH FUSE BASE FOR PRIMARY APPROVED MAKE AND DULY FITTED WITH 2A, 500V FUSE LINK WITH F	1	SR EF/TL TVC	24 Nos.	02-10-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
5	93225568100585 dt.02-SEP-22 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA	193425.6	25KV Potential Transformer(TYPE-1) outdoor single phase oil filled Potential Transformer of ratio 27.5KV/100V as per RDSO SPEC.TI/SPC/PSI/PT/0210 (06/2021).RITES Inspection is mandatory for this item.	1	SSE/TRD(PSI&RC)/CKI	4 Nos.	01-11-2022	IREPS
6	93225442100586 dt.04-SEP-22 on M/s.FORTUNE FURNITURE AND INTERIORS- THIRUVANANTHA	20400.01	Supervisor Table steel size 1660X 900X760 mm with 3 drawer in one end ,one locker compartment with 2 shelf in other end.depth of locker minimum 575 mm.Locking arrangement required for drawer and lo	1	DRM/G TVC	2 Nos.	04-10-2022	IREPS
7	93225596100587 dt.05-SEP-22 on M/s.MECON INDIA-KOLKATA	1009844	4 CORE X 95 SQMM , ISI MARKED LTUG CABLE, XLPE INSULATED, PVC OUTER SHEATHED,STEEL STRIP ARMoured, MULTI STRANDED CONDUCTOR WITH ALUMINIUM EC GRADE , VOLTAGE GRADE 1100V,CONFORMING TO IS 7098 , 1988 W	1	SSE/EW/TVC	2000 MTR	20-11-2022	IREPS
8	93225618100588 dt.06-SEP-22 on M/s.MERICO ENGINEERING- HOWRAH	75331.2	DIP HOLE VENT PLUG AS PER DRG NO W/TF-2160-MOD-2 FOR BTPN/BTFLN TANK WAGON Make/Brand:-ME, MATERIAL TO BE SUPPLIED ONLY VENT PLUG I.E. DRG. NO. W/TF-2160 ALT.2 ONLY	1	SSE/C&W/IPN	1200 Nos.	06-12-2022	IREPS
9	93225578200589 dt.07-SEP-22 on M/s.M/s.Bharat Fertilizers & Organics, Jaipur	150000	Herbicide Glyphosate 41% in can, Brand: Round up or equal.Technical details to be attached with offer.	1	TRD/PSI/ERS	375 LTR	29-09-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
10	93225642100590 dt.08-SEP-22 on M/s.ATUL ENGINEERING UDHYOG-AGRA	204612	Coupler body with shank wears plate (welded) for Upgraded High Tensile CBC to RDSO Drg. No.SK 62724, Alt.28, item-1 & 10. & Other technical requirement conforming to RDSO STR. No. WD-70-BD-10, (Rev.2)	1	CWS ERM	6 Nos.	23-11-2022	IREPS
11	93225642100591 dt.08-SEP-22 on M/s.FRONTIER ALLOY STEELS LTD- KANPUR	871859.5	Coupler body with shank wears plate (welded) for Upgraded High Tensile CBC to RDSO Drg. No.SK 62724, Alt.28, item-1 & 10. & Other technical requirement conforming to RDSO STR. No. WD-70-BD-10, (Rev.2)	1	CWS ERM	24 Nos.	23-11-2022	IREPS
12	93225564100592 dt.08-SEP-22 on M/s.FUJI TECHNICAL SERVICES PVT LTD- NAVI MUMBAI	69620	4CORE, 16SQMM LTUG CABLE, XLPE INSULATED, PVC SHEATHED, STRIP ARMoured, WITH MULTI STRAND ALUMINIUM CONDUCTOR, VOLTAGE GRADE 1100V , AS PER IS 7098/ PART.I/1988 WITH AMENDMENT 1,2,3	1	SSE/E/ALLP	500 MTR	08-12-2022	IREPS
13	93225612100593 dt.09-SEP-22 on M/s.SUNEEL HI TECH-PUNE	26880	Nylon insulation set for L bracket, as per the drawing SK.111/S & T /TPJ/2018, One set consisting of Insulating plate-01 No, Insulating bush-02 nos, Insulating washer-02 nos with manufacturer test ce	1	SSE/S/SRM/TVC	1000 Set	10-10-2022	IREPS
14	93225622100594 dt.09-SEP-22 on M/s.CITY ELECTRICAL CONTRACTORS- THIRUVALLUR	201619.5	Supply of 100 mtr coil of PVC insulated and PVC sheathed un armoured 4 core, bright annealed multi stranded copper cable having normal cross sectional area of each core 6.0sqmm, 1100 Volts grade confi	1	EF/ NCJ	8 Nos.	10-10-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
15	93225632100595 dt.09-SEP-22 on M/s.SRI SUBHA ENTERPRISES- TRICHY	49200	Wooden Wedge for AC Locomotive as per drawing no: V/E/OP/TVC-01/2020-21 dtd 21.10.2020. ALL WEDGE TO BE COATED WITH YELLOW COLOUR(YELLOW OXIDE). TRANSPORTATION,LOADING/UNLOADING AND STACKING AT TRIP S	1	SE/TRS/ERS	600 Nos.	09-10-2022	IREPS
16	93225630100596 dt.12-SEP-22 on M/s.SRI DURGA BEARINGS AND ELECTRICALS- TRICHY	29169.6	LED BOX TYPE FITTING AS PER THE FOLLOWING SPECIFICATION.(1)BOX TYPE FITTING-SUITABLE FOR 18-20 WATT Bajaj BLRB18W CW LED OR Crompton LTT8-20 LED LAMP ,INCLUDING INTERNAL WIRING,CRCA BODY,POWDER COATED	1	SSE/EW/TVC	60 Nos.	11-11-2022	IREPS
17	93225619100597 dt.12-SEP-22 on M/s.YOKINS INSTRUMENTS PVT LTD-DELHI	194110	MULTIFUNCTION METER WITH USER PROGRAMMABLE CT/PT RATIO 5A OR 1A CT INPUT FOR LV OR HV ETWORKS, INPUT VOLTAGE 100-600 V L-L, AUXILIARY SUPPLY 12 - 48 V DC , DISPLAY : HIGH BRIGHTNESS 3 LINE 4 DIGITS L	1	SR EF/TL TVC	50 Nos.	13-10-2022	IREPS
18	93225628100598 dt.12-SEP-22 on M/s.POWERCARE ENGINEERS- SURAT	118944	AVR (UVR-6) SUITABLE FOR M/s. CROMPTON GREAVES MAKE BRUSHLESS ALTERNATOR - 500KVA, 3 PHASES, 750 VOLTS, 50Hz, FRAME NO. G2R355MA SUITABLE FOR DG SET MODEL 12V14TAG23 PART - AVR-UVR-6 (750V)	1	SE/ELE/KCVL	4 Nos.	13-10-2022	IREPS
			AVR (UVR 6) SUITABLE FOR CROMPTON GREAVES MAKE BRUSH LESS ALTERNATOR 500KVA, 3 PHASE, 750 VOLTS, 50Hz, FRAME NO. G2R355MA SUITABLE FOR DG SET MODEL 12V14TAG23 PART-AVR-UVR-6(750V) OF CROMPTON GREAVE	2	SR EF/TL TVC	5 Nos.	13-10-2022	

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
19	93225590100599 dt.12-SEP-22 on M/s.POWER EQUIPMENTS SYSTEM PRIVATE LIMITED-BHOPAL	166970	Contactora 170 Amps, 4 pole with auxiliary 1 NO+1NC coil voltage 415 V AC similar to type EK-110-40- 11+CAL16.11B of ABB. Make - ABB , Schneider, Siemens MAKE- SCHNEIDER	1	EF/ NCJ	10 Nos.	11-01-2023	IREPS
20	93225605100600 dt.12-SEP-22 on M/s.JN MACHINERIES PRIVATE LIMITED- MADURAI	158416.9	MDL (Modular) OVM (Over Voltage Module) 3 PH suitable for Cummins make Stamford Alternator of 500KVA LHB power car. Cummins Part No.A057E698 make : Cummins	1	EF/ NCJ	1 Nos.	11-01-2023	IREPS
21	93225623200601 dt.12-SEP-22 on M/s.JAIN ENTERPRISES, INDORE	11544	SODIUM HYPOCHLORITE SOLUTION 5% IN 5 LITRE CAN	1	SR.DMO/G/TVC	260 LTR	06-10-2022	GeM
22	93225607200602 dt.12-SEP-22 on M/s.Gruh Sajavat, Surat	13583.02	SYNTHETIC PILLOW: 1. It should have dimension of 700 x 400 x 170 mm (length x width x height).2. Body fabric of pillow should be cloth plain weave polyester cotton (67:33) white.3. Filling material us	1	SR.DMO/G/TVC	58 Nos.	06-10-2022	GeM
23	93225613200603 dt.12-SEP-22 on M/s.DESIGN HUT SYSTEMS-West Delhi, DELHI, DELHI	76930	Wooden cot: (1)Type of Bed: Wooden Single Bed, (2)Material of bed frame: teak wood, (3) Mattress Fixing Length 10 (mm);1905 (4)Mattress Fixing Width 10(mm): 915, (5)Mattress	1	DRM/C/TVC	7 Nos.	06-10-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
24	93225629100604 dt.13-SEP-22 on M/s.H.K.COMPAN Y-KOLKATA	25955.28	Quick Coupling arrangement with Pressure Gauge for EL-60. Part No: KND-00134 Warranty as per IRS conditions. MAKE-HKCO	1	CWS ERM	4 Nos.	14-10-2022	IREPS
25	93225621100605 dt.13-SEP-22 on M/s.DATTA ENGINEERING WORKS.- HOWRAH	215232	VAPOUR EXTRACTOR COCK PLUG TO RDSO DRG NO. W/TF-1872, ALT-NO 2.	1	SSE/C&W/IPN	800 Nos.	13-12-2022	IREPS
26	93225594100606 dt.13-SEP-22 on M/s.RAIL UDYOG- HOWRAH	40887	Rail Claw for maintaining Gauge (BG) (As per Drawing attached) MAKE-RU	1	SSE/CW/ERS	9 Nos.	12-12-2022	IREPS
27	93225555100607 dt.13-SEP-22 on M/s.MAHESHW RI INDUSTRIES- SECUNDERABAD	180540	210 Ltr. Tight Head M S Barrel 22kg (200/210 Ltr nominal capacity MS barrels fabricated out of 18 gauge (1.25mm) nominal thickness mild steel CRCA sheets, Body seam electrically resistance welded both	1	SSE/PWAY/PVRD	60 Nos.	14-10-2022	IREPS
28	93225641200608 dt.13-SEP-22 on M/s.VJ INTERIOR PRIVATE LIMITED, DELHI	32776	COMPUTER CHAIR- REVOLVING	1	SR.DMO/G/TVC	8 Nos.	13-10-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
29	93225539200609 dt.13-SEP-22 on M/s.Meditech Healthcare, Hisar	7680	Specifications of Aluminium Foldable stretchers Performance Parameters Purpose Stretcher for Emergency and Rescue operations The foldable stretcher shall fold lengthwise and cross wise and shall fold	1	ADMO QLN	2 Nos.	13-10-2022	GeM
30	93225606100610 dt.14-SEP-22 on M/s.PIONEER FIL-MED PVT LTD-NEW DELHI	1259957	LONG LIFE (180 DAYS) LUBE OIL AND FUEL OIL FILTER ELEMENT (TWO PIECE) TO EMD PART NO.40056007, DLW PART NO.16241198 AND TO RDSO SPECIFICATION NO.MP.0.2600.26 (REV-00) SEP 2009 FOR WDP4 LOCOS. INSPECTI	1	SSE/DSL/ERS	120 Nos.	14-12-2022	IREPS
31	93225453100611 dt.14-SEP-22 on M/s.NEO SAFETY PRODUCTS PVT LTD-KOLKATA	1872344	NYLON RAIN SUIT SHIRT WITH CAP AND PANT. NYLON AS PER IDENTIFICATION OF TEXTILE FIBRE TO IS 667/1981 RA 2008. THICKNESS OF FABRIC WITH	1	SSE/PW(STM)/QLN	2243 Nos.	14-12-2022	IREPS
32	93225564100612 dt.14-SEP-22 on M/s.MECON INDIA-KOLKATA	1160931	4CORE, 16SQMM LTUG CABLE, XLPE INSULATED, PVC SHEATHED, STRIP ARMoured, WITH MULTI STRAND ALUMINIUM CONDUCTOR, VOLTAGE GRADE 1100V , AS PER IS 7098/ PART.I/1988 WITH AMENDMENT 1,2,3	1	SSE/EW/TVC	8600 MTR	14-12-2022	IREPS
33	93225635100613 dt.16-SEP-22 on M/s.MYSORE THERMO ELECTRIC PVT LIMITED-	318432	LEAD ACID STARTER BATTERIES OF 8V 290AH CAPACITY ASSEMBLED WITH TUBULAR POSITIVE & PASTED NAGATIVE PLATES IN MONOBLOCK HARD RUBBER CONTAINER IN CHARGED CONDITION CONFORMING TO RDSO SPECIFICATION	1	SE/ELE/KCVL	5 Nos.	16-10-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
34	93225636100614 dt.16-SEP-22 on M/s.PACKING HOUSE-MUMBAI	113280	Rotary switch 40Amps, 130V DC, single pole 4 position with operating knob as per item No.3 of ICF Drg. No. ICF-SCN-7-2-401 alt. 'q' & ICF/SK 7-2-392 or latest. Supply from OEM/authorized dealers of Ky	1	SR EF/TL TVC	300 Nos.	31-10-2022	IREPS
35	93225633100615 dt.16-SEP-22 on M/s.UNITED MACHINERY CORPORATION- KOLKATA	343133.4	VOLTAGE PHASE CONTROL RELAY/MEASURING MONITORING RELAY FOR 750 V AC TO BE USE AS UVR (UNDER VOLTAGE RELAY) IN POWER CAR AND AS MMR IN LHB COACHES. RATED VOLTAGE 750 V AC, 50 HZ AS PER RDSO SPEC NO. R	1	SR EF/TL TVC	50 Nos.	15-11-2022	IREPS
36	93225645100616 dt.16-SEP-22 on M/s.SHREYA ENGINEERING INDUSTRIES- HOWRAH	48970	BOLTS MS BLACK HEX.HEAD ROUND BODY WITH HEX.NUTS M 20 x 100 mm IS; 1363/1984 REAFFIRMED 1992 ( PART 1 & 3 ) Make/Brand:OWN MAKE	1	CWS ERM	500 Kgs.	16-10-2022	IREPS
37	93225646100617 dt.16-SEP-22 on M/s.JOSEPH LESLIE DYNAMIKS MANUFACTURING PRIVATE LIMITED-	208320	Self contained breathing apparatus with spare cylinders Technical Specification attached Make/Brand:-JLD CABA9500	1	SSE/C AND W/TVC	2 Set	17-10-2022	IREPS
38	93225616100618 dt.16-SEP-22 on M/s.MECON INDIA-KOLKATA	663608.4	4CORE, 50SQMM LTUG CABLE, XLPE INSULATED, PVC SHEATHED, STRIP ARMoured,WITH MULTI STRAND ALUMINIUM CONDUCTOR, VOLTAGE GRADE 1100V , AS PER IS 7098/ PART.I/1988 WITH AMENDMENT 1,2,3	1	SSE/EW/TVC	2100 MTR	16-11-2022	IREPS



Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
39	93225648100619 dt.19-SEP-22 on M/s.S.B.COMMU NICATIONS- KOLKATA	72000	7.4V Ni-MH Battery packof Walkie-Talkie Model-HQT TH 3608,make :HQT or similar Make / Brand, rechargeable battery pack 7.2/7.4v 2300mAh,Ni-mh suitable for HQT ,Model:TH-3608,5Watt VHF Trans receive	1	CCRC/ERS	50 Nos.	44853	IREPS
40	93225625200620 dt.19-SEP-22 on M/s.BENTEX CONTROL & SWITCH GEAR CO,, NEW DELHI	129600	ENERGY EFFICIENT BEE 5 STAR RATED BLDC CEILING FAN1200MM SWEEP WITH 3 ALUMINIUM BLADES SUITABLE TO OPERATE IN 230V 50 HZ AC SUPPLY WITH 2 CANOPIES AND 300MM DOWN ROD WITH FOLLOWING FEATURES. POWER	1	SSE/EW/TVC	50 Nos.	16-10-2022	GeM
41	93225631200621 dt.19-SEP-22 on M/s.CYBERKING TECHNOLOGIES PRIVATE LIMITED, ERNAKULAM	15373.41	Multifunctional mono ink tank printer with Printing,copy,scan technology with Wi-Fi, paper size A4 with warranty.Brand:HP/EPSON/BROTHER	1	DRM/G TVC	1 Nos.	16-12-2022	GeM
42	93225624200622 dt.20-SEP-22 on M/s.ROSHNI LED LIGHTS- AHMEDABAD	41678	120 WATTS LED FLOOD LIGHT LUMINIARIE COMPLETE WITH DRIVER ASSEMBLY WITH DIE CAST ALUMINIUM HOUSING TOUGHENED FRONT GLASS COVER, >100 lumens/watt, IP 65 PROTECTION, WITH COLOR	1	SSE/EW/TVC	14 Nos.	20-10-2022	GeM
43	93225624200623 dt.20-SEP-22 on M/s.ALLIED ELECTRICALS, DELHI	142896	120 WATTS LED FLOOD LIGHT LUMINIARIE COMPLETE WITH DRIVER ASSEMBLY WITH DIE CAST ALUMINIUM HOUSING TOUGHENED FRONT GLASS COVER, >100 lumens/watt, IP 65 PROTECTION, WITH COLOR	1	SSE/EW/TVC	48 Nos.	20-10-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
44	93225624200624 dt.20-SEP-22 on M/s.SUMIT ENTERPRISES, NAGPUR	59540	120 WATTS LED FLOOD LIGHT LUMINIARIE COMPLETE WITH DRIVER ASSEMBLY WITH DIE CAST ALUMINIUM HOUSING TOUGHENED FRONT GLASS COVER, >100 lumens/watt, IP 65 PROTECTION, WITH COLOR	1	SSE/EW/TVC	20 Nos.	20-10-2022	GeM
45	93225624200625 dt.20-SEP-22 on M/s.Yes Celebration, Hanumangarh	41678	120 WATTS LED FLOOD LIGHT LUMINIARIE COMPLETE WITH DRIVER ASSEMBLY WITH DIE CAST ALUMINIUM HOUSING TOUGHENED FRONT GLASS COVER, >100 lumens/watt, IP 65 PROTECTION, WITH COLOR	1	SSE/EW/TVC	14 Nos.	20-10-2022	GeM
46	93225658100626 dt.22-SEP-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE	513998.6	MV BOARD FOR WSP SYSTEM OF LHB COACHES, M/S.FTRTIPL PART.NO.1/600006A Make- FAIVELEY TRANSPORT RAILTECHNOLOGIES INDIA PRIVATE LIMITED 1) Firm's offer: MV BOARD to FTRTIPL Part Number	1	SR.SE/C&W/KCVL	4 Nos.	21-01-2023	IREPS
47	93225657100627 dt.22-SEP-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE	1289334	DUMP VALVE ( New Type ) WITH MOUNTING BRACKET FOR LHB COACHES FAIVELEY PART NO - FT0051572-A00 1) Firm's offer:-DUMP VALVE W/MOUNTING BRACKET to FTRTIPL Part Number FT0051572-A00 which meets your t	1	SR.SE/C&W/KCVL	16 Nos.	21-01-2023	IREPS
48	93225663100628 dt.22-SEP-22 on M/s.FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA PRIVATE	838372.3	N1 BOARD FOR WSP SYSTEM OF LHB COACHES, M/S.FTRTIPL PART NO. 1/600009/A MAKE- FAIVELEY TRANSPORT RAILTECHNOLOGIES INDIA PRIVATE LIMITED 1) Firm's offer: N-1 BOARD to FTRTIPL Part Number 1/600009A	1	SR.SE/C&W/KCVL	5 Nos.	21-01-2023	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
49	93225613200629 dt.23-SEP-22 on M/s.THE JASMINE PEARL, WEST DELHI	32970	Wooden cot: (1)Type of Bed: Wooden Single Bed, (2)Material of bed frame: teak wood, (3) Mattress Fixing Length 10 (mm);1905 (4)Mattress Fixing Width 10(mm): 915, (5)Mattress	1	DRM/C/TVC	3 Nos.	06-10-2022	GeM
50	93225547100630 dt.26-SEP-22 on M/s.ANTARIKSH ENTERPRISES- CHENNAI	88500	Nitrile Coated Hand Gloves(Medium size) to below specification: (1) Width across palm min 11 cm (2) Overall Length min-26 cm (3) Depth of Cuff min-7 cm (4) Plain Knitted on Palm & Finger and 2X2 rib	1	SSE/CW/NCJ	15000 Pair	27-10-2022	IREPS
51	93225662100631 dt.26-SEP-22 on M/s.SUPER SUPPLY INDUSTRIES- HOWRAH	49560	HEXAGONAL NUT M16 CONFORM TO IS:1363, PART-1 2002, GRADE-C MECHANICAL PROPERTIES CLASS 5. Make/Brand:-Self,HSN CODE: 7318, MFG ID WILL BE IN A PAPER TAG OF EACH BAG.	1	SSE/C&W/IPN	500 Kgs.	11-11-2022	IREPS
52	93225667100632 dt.26-SEP-22 on M/s.ESCORTS LIMITED- FARIDABAD	915680	Supply of set of Pressure gauges consists of 1.Pressure gauge -BP to KB Drg.No.C219496 Or FTRIL Drg.No. A3 022 0372 or Escorts Drg.No.3EB9501, Qty-02 nos 2.Pressure gauge -FP to KB Drg.No.C219496 Or	1	SSE/CW/NCJ	16 Set	26-12-2022	IREPS
53	93225651100633 dt.27-SEP-22 on M/s.ASCO SWITCHGEARS PVT. LTD.- KAPURTHALA	41241	MCB 20A double pole (dp) with protected poles ( 2 PP), without enclosure, 240voltage, Tripping range for C as per IS/IEC 60898-1-2002 or latest of with ISI mark. NABL/ILAC test report to be submitted	1	SE/ELE/KCVL	250 Nos.	28-10-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
54	93225652100634 dt.27-SEP-22 on M/s.KALTRO ENTERPRISES- AMBERNATH	76464	ENERGY EFFICIENT BEE 5 STAR RATED BLDC CEILING FAN 900MM SWEEP WITH 3 ALUMINIUM BLADES SUITABLE TO OPERATE IN 230V 50 HZ AC SUPPLY WITH 2 CANOPIES AND 450MM DOWN ROD WITH FOLLOWING FEATURES. POWER	1	SSE/EW/TVC	27 Nos.	28-10-2022	IREPS
55	93225643100635 dt.27-SEP-22 on M/s.POOJA ENTERPRISES- NAGPUR	400020	Internal Combustion Engine Crank Case Oil GRADE SAE 15W40 API CI-4 Plus Grade Conforming to IS:13656/2014. (Second Revision) BRANDS ACCEPTED: 1) MAK CI4 Plus 15W40 of M/S-BPCL. 2) SERVO PRIDE SUPREME	1	SE/ELE/KCVL	2000 LTR	28-10-2022	IREPS
56	93225647100636 dt.27-SEP-22 on M/s.S K ENTERPRISES- NEW DELHI	281500.8	Engine Oil (Valvoline Premium Blue 7800 Plus), Part No - 504626. Make/Brand:VALVOLINE	1	SR EF/TL TVC	840 LTR	28-10-2022	IREPS
57	93225644100637 dt.27-SEP-22 on M/s.BETLE ENGINEERING WORKS PRIVATE LIMITED-	147840	LED TYPE FLASHING TAIL LAMP FOR LHB TYPE POWER CAR WITH FLASHING UNIT SYSTEM AND VHF CHARGING SOCKET AS PER RCF DRG. NO. LP-75001 AND LP 73200, ALT NO.-C AND CONFIRMING TO RCF SPEC. NO. EDTS-215 (REV-	1	SR EF/TL TVC	10 Nos.	28-10-2022	IREPS
58	93225660100638 dt.27-SEP-22 on M/s.SATHYA LUBRICANTS- THIRUVANANTHA PURAM	135015.6	SUPERSOLCONCENTRATE FOR DEGASING OF PETROLEUM OIL TANK WAGONS TO UNDERTAKE INSIDE REPAIRS. WATER MIXING RATIO WITH THE CHEMICAL IS 1:5000 LTR Make/Brand:SUPERSOL	1	SSE/C&W/IPN	3000 LTR	28-10-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
59	93225640200639 dt.27-SEP-22 on M/s.TRUE SENSE TECHNOLOGIES, DELHI	24500	MECHANICAL QUARTZ CLOCK TIMER SWITCH CYCLE DURATION OF 24 HOURS 96 ON AND 96OFF NUMBERS OF SWITCHING MINIMUM INTERVAL DURATION 15 MINUTES AND DIN RAIL MOUNTINGSUPPORT WITH MANUAL	1	SE/E/P/NCJ	25 Nos.	27-10-2022	GeM
60	93225637100640 dt.27-SEP-22 on M/s.KASERA ELECTRICALS PRIVATE LIMITED- KOLKATA	118000	25 KV Sectioning (CORE)insulator (RI No:6110)(CD 850 mm)as per RDSO Spec.No.TI/SPC/OHE/INS/0070(04/2007) with A&C Slip no.1 &2 or latest Make Brand -SGEL MAKE 25 KV Sectioning (CORE)insulator (RI No:6	1	SE/OHE/ERS	20 Nos.	11-12-2022	IREPS
61	93225650100641 dt.27-SEP-22 on M/s.AUTOLITE ENTERPRISE- RAJKOT	649590	Supply and installation of GPS double faced platform clock with GPS synchronization as per RDSO specification RDSO/SPN/TC/62/2008 Rev.3.0 or latest. To be installed at TCR, CAPE, NCJ, QLN, KYJ, ALLP,	1	SSE/T/WL/TVC	15 Nos.	27-11-2022	IREPS
62	93225639100642 dt.27-SEP-22 on M/s.ELECTRONIC AND ENGINEERING COMPANY INDIA	3011360	Ultrasonic Digital Testing equipment for welded rail joints with coloured LCD TFT screen, trigonometrical function and A- Scan storage as per RDSO's. Specification No. M&C/NDT/129/2005, Rev-II, Aug, 20	1	SSE/PW(STM)/QLN	8 Nos.	26-01-2023	IREPS
63	93225670100643 dt.28-SEP-22 on M/s.NEELACHAL MARINE-KOLKATA	440730	Supply and Programming of synthesized Trans Receiver of 5watts Of VHF hand held Walkie Talkie set, in the band 136- 174 MHz. digital radio with OEM warranty, Intelligent audio voice announcement as per	1	SSE/T/WL/TVC	30 Nos.	13-11-2022	IREPS

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
64	93225620100644 dt.28-SEP-22 on M/s.SUPERIOR ELECTRIC MACHINES PRIVATE LIMITED-	81420	BLOWER MOTOR UNIT FOR ELECTRICAL CHIMNEY SUITABLE FOR EOG:LHB PANTRY CAR,IMPELLER AND MOTOR DYNAMICALLY BALANCED AND READY TO USE HAVING FOLLOWING TECHNICAL SPECIFICATION :ICF/ELECT/898/,CS-2 TYPE	1	SE/ELE/KCVL	10 Nos.	29-10-2022	IREPS
65	93225664100645 dt.28-SEP-22 on M/s.VIDISHA ELECTRICALS PRIVATE LIMITED- KOLKATA	203550	PCB FOR BLDC CARRIAGE FAN 400MM SWEEPS FIXED TYPE AS PER SPEC.NO.RDSO/PE/SPEC/TL/0021-2005 (REV-3) WITH AMENDMENT NO.1 OR LATEST. ACCEPTABLE MAKE:IMT,EEC,CGL OR EQUIVALENT. Make/Brand:VIDISHA	1	SE/ELE/KCVL	250 Nos.	28-11-2022	IREPS
66	93225634200646 dt.29-SEP-22 on M/s.DURGA INDUSTRIES,, DELHI.	91500	4 CORE 25 SQMM LTUG CABLE WITH ALUMINIUM EC GRADE CONDUCTOR , XLPE INSULATED, ISI MARKED, PVC OUTER SHEATHED, GALVANIZED STEEL STRIP ARMOURED, SUITABLE FOR WORKING VOLTAGE GRADE 1100 V , CONFORMING	1	SSE/E/ALLP	500 MTR	28-10-2022	GeM
67	93225686200647 dt.29-SEP-22 on M/s.BHARAT STATIONERY MART-THANE	135700	EPSON LX-310 OEM Ribbon Cartridge Length 18 mtr EPSON (T13S01506) Make Original	1	DRM/C/TVC	1000 Nos.	29-10-2022	GeM
68	93225669200648 dt.29-SEP-22 on M/s.OUR BUSINESS MACHINE, DELHI	31275	AC VENTILATING FAN ( EXHAUST FAN ) 300 MM SWEEP , CAPACITOR TYPE or NON CAPACITOR TYPE , TO BE OPERATED ON 230V, SINGLE PHASE AC SUPPLY COFORMING TO IS 2312 (LATEST)MAKE - POLYCAB, BAJAJ, HAVELLS, V-G	1	SSE/E/ALLP	25 Nos.	29-10-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
69	93225659100649 dt.29-SEP-22 on M/s.V.M.ENTERP RISES-MUMBAI	175230	S K Steel Metal Bunk Beds, Knocked Down - To be assembled at consignee site by the seller - 2 tier bunk beds with detachable railing and 2 Nos of box type under storage and metal bed frame with CRCA	1	SSE/PWAY/PVRD	12 Nos.	29-11-2022	IREPS
70	93225674100650 dt.29-SEP-22 on M/s.NIKE ENERGY MANUFACTURING PRIVATE LIMITED- VARANASI	178180	Regulating equipment(ATD) Three pulley type with modified pulley groove(3:1 ratio)(with use of NBC Ball bearing 6305 LLU (Part-1)or FAG ball bearing 6305- 2RSR(Part-II) in regulating equipment as per	1	SE/TRD/OHE/QLN	20 Nos.	14-12-2022	IREPS
71	93225674100651 dt.29-SEP-22 on M/s.KHATRI CASTINGS PRIVATE LIMITED- MUMBAI	759920	Regulating equipment(ATD) Three pulley type with modified pulley groove(3:1 ratio)(with use of NBC Ball bearing 6305 LLU (Part-1)or FAG ball bearing 6305- 2RSR(Part-II) in regulating equipment as per	1	SE/TRD/OHE/QLN	80 Nos.	29-12-2022	IREPS
72	93225672100652 dt.30-SEP-22 on M/s.ANNAPURNA ENGINEERING WORKS-HOWRAH	335120	MODIFIED BEARING PIECE ASSEMBLY FOR BOX TYPE WAGONS TO DRG.NO. SR/SK/C&W-3757/BG ALT NIL. Make/Brand:	1	SSE/C&W/IPN	1000 Nos.	29-11-2022	IREPS
73	93225680200653 dt.30-SEP-22 on M/s.RATIONAL BUSINESS CORPORATION PRIVATE LIMITED,	267624	SINGLE PLY, CONTINUOUS COMPUTER STATIONERY WITH SPROCKET HOLES ON BOTH SIDES SIZE 12" DEPTH AND 11" WIDTH MADE OF 80 GSM GOOD QUALITY PLAIN WHITE PAPER BOTH SIDES IS.12766/97. THE INDIAN RAILWAY	1	DRM/C/TVC	350 THSND	30-10-2022	GeM

Sr.	P.O. No. and Date	PO Value	Description	Sr.	Consignee	PO Qty	Dely.Dt	IREPS /GeM
74	93225665200654 dt.30-SEP-22 on M/s.GENIST TECHNOCRACY PRIVATE LIMITED- MOHALI	105777	1 Specifications of Autoclave vertical Configuration Type Vertical, Top loading cylindrical Autoclave machine for steam and pressure sterilization Sterilizer chamber capacity in L (usable volume) 80 -	1	ADMO QLN	1 Nos.	30-10-2022	GeM