

No.J/P.535/V/C&W/Sr.Technicians/C&W/Vol.IV

दि./Dt.30-06-2020.

MEMORANDUM

Sub:- Suitability Test for the post of Sr.Technician /C &W In pay Matrix
Level 6-reg

The following employees of Technician Gr.I/ C&W in Pay Matrix Level-5 are found suitable and placed in the panel for promotion of Sr.Technician / C&W in Pay Matrix Level- 6 by a duly constituted departmental committee.

Sl.No.	PF No.	Name	Comm.	Station	Remarks
1	04313951	V.Mohanan	UR	CLT	Suitable
2	05616656	A.K.Salini	UR	SRR	Suitable
3	05606457	Krishnan.M	UR	SRR	Suitable
4	05614764	Santhakumari V	OBC	SRR	Suitable
5	05612408	Cheriyam Mathews	UR	PGT	Suitable
6	05614703	Vibeesh P	UR	CLT	Suitable
7	05614740	K.Bindu	SC	MAQ	Suitable
8	04555272	Madhusoodanan	UR	SRR	Suitable
9	50400400	Lakshmi C K	SC	CLT	Suitable

Rahul Anil
11/7/20
(Rahul Anil)
APO/T
For Sr.DPO/PGT

Copy to : Sr.DFM/PGT, Sr.DME/PGT,
DEnHM/PGT, ADME/PGT,
Ch.OS/Mech.Br./PGT, SSE/PGT,SRR, CLT, CAN, MAQ, MAJN
Employees through.....
O.O.File, PCF
DS/SRMU/PGT, DS/AI SCST REA/PGT, DS/ AIOBC REA/PGT